


## 36461 RIFA LED 17,5W WW W/W

Ceiling-mounted LED light fitting

5905339364616



RIFA LED 17,5W W/W



Kanlux RIFA LED is a unique ceiling lamp. It is distinguished from traditional lamps of this type by a material lampshade, which makes it not only practical, but above all decorative. We have prepared 4 color combinations to match your interior, and you have a choice of two light colors - neutral or warm. Kanlux RIFA LED is an ideal solution for low ceiling interiors where we need strong light, but we do not want to give up its decorativeness.

### GENERAL DATA:

**Colour:** white  
**Place of assembly:** ceiling mounted  
**Place of application:** Indoors  
**Minimum distance from the illuminated object:** 0,5m  
**Compatible with a dimmer:** no  
**Height [mm]:** 116  
**Diameter [mm]:** 400  
**Mercury content:** no  
**Integrated LED light source:** yes

### TECHNICAL DATA:

**Rated voltage [V]:** 220-240 AC  
**Rated frequency [Hz]:** 50  
**Maximum power [W]:** 17,5  
**Class of protection against electric shock:** I  
**Lampshade material:** plastic  
**Light source:** LED  
**Diode type:** LED SMD  
**Luminous flux [lm]:** 1450  
**Colour temperature:** Warm white  
**Correlated colour temperature [K]:** 3000  
**Colour consistency in McAdam ellipses:**  $\leq 6$   
**Colour rendering index:** 80  
**Service life [h]:** 25000  
**Number of on/off cycles:**  $\geq 20000$   
**Lighting angle [°]:** 120  
**Luminous efficiency of the lamp [lm/W]:** 83  
**Ambient temperature range to which the product can be exposed:** 5÷25  
**Enclosure material:** Metal  
**Connection type:** Bolt terminal block  
**Range of sections of wires used [mm<sup>2</sup>]:** 1,5  
**Lamp-heating time [s]:**  $\leq 1$   
**Lamp-ignition time [s]:**  $\leq 0,5$

## 36461 RIFA LED 17,5W WW W/W

Ceiling-mounted LED light fitting



**IP class:** 20

### LOGISTIC DATA:

**Unit of measurement:** unit

**Packaging method:** 6

**Number of units in the secondary packaging :** 1

**Number of units in the packaging :** 6

**Net unit weight [g]:** 1070

**Grammage [g]:** 1763.33

**Length of a unit pack [cm]:** 42

**Width of a unit pack [cm]:** 12.5

**Height of a unit pack [cm]:** 42


**Weight of a cardboard box [kg]:** 10.57998

**Width of a cardboard box [cm]:** 40

**Height of a cardboard box [cm]:** 44.5


**Length of a cardboard box [cm]:** 85.5

**Volume of a cardboard box [m<sup>3</sup>]:** 0.15219



KANLUX S.A. (kat 36461) RIFA LED 17,5W WW WW / LDC (Polar)

Luminaire: KANLUX S.A. (kat 36461) RIFA LED 17,5W WW WW  
Lamps: 1 x RIFA LED 17,5W WW



## 36461 RIFA LED 17,5W WW W/W

Ceiling-mounted LED light fitting

