

miLED^o

catalogue 2022





catalogue 2022



miLED^o
good choice



SYMBOLS

Ei	Energy efficiency class
	Power Supply
	Power
	Colour temperature
	Luminous flux
	Lifetime
	Cap
	Light source
IP	Degree of resistance to penetration of foreign solids, dust and humidity
IK	Degree of protection against mechanical impact
ON OFF	Number of switch cycles
	Non-replaceable light source
	Replaceable light source
PRI	Input voltage
SEC	Output voltage
	Ambient temperature range to which the product is adapted
	Motion sensor
	Type of power supply - constant voltage
	Number of modules
	Screw cube





► LIGHT SOURCES

6 GU10 LED N

7 A60 LED N

7 T8 LED N

► ARCHITECTURAL & TECHNICAL LUMINAIRES

9 RSTR N... NT

9 DIGHT 4LED

10 CORSO LED V2

10 DUNO LED N

11 HIBO LED N

12 GRUN V3 LED

► WIRING ACCESSORIES

15 H... PE MI N

miLED^o



LIGHT SOURCES

GU10 N LED

Led lamp



Power:
220-240 AC
50/60 Hz


Material:
plastic



ON
OFF



31210	8595665312107	GU10 N LED 4W-CW	4W	275lm	5300K	≥15000	15000h	GU10	A i G	G
31211	8595665312114	GU10 N LED 4W-NW	4W	275lm	4000K	≥15000	15000h	GU10	A i G	G
31212	8595665312121	GU10 N LED 4W-WW	4W	275lm	3000K	≥15000	15000h	GU10	A i G	G
31213	8595665312138	GU10 N LED 6W-CW	6W	400lm	5300K	≥15000	15000h	GU10	A i G	G
31214	8595665312145	GU10 N LED 6W-NW	6W	400lm	4000K	≥15000	15000h	GU10	A i G	G
31215	8595665312152	GU10 N LED 6W-WW	6W	400lm	3000K	≥15000	15000h	GU10	A i G	G
31216	8595665312169	GU10 N LED 8W-CW	8W	530lm	5300K	≥15000	15000h	GU10	A i G	G
31218	8595665312183	GU10 N LED 8W-NW	8W	530lm	4000K	≥15000	15000h	GU10	A i G	G
31217	8595665312176	GU10 N LED 8W-WW	8W	530lm	3000K	≥15000	15000h	GU10	A i G	G



GU10 LED N


A60 LED N

Led lamp




Power:
220-240 AC
50 Hz
Material:
plastic


Colour:
white



A60 N LED 8W



A60 N LED 9.5W



A60 N LED 13W



31202	8595665312022	A60 N 8W E27-WW	8W	810lm	3000K	≥25000	15000h	E27	A 1 G	F
31203	8595665312039	A60 N 8W E27-NW	8W	810lm	4000K	≥25000	15000h	E27	A 1 G	F
31204	8595665312046	A60 N 9.5W E27-WW	9.5W	1050lm	3000K	≥25000	15000h	E27	A 1 G	E
31205	8595665312053	A60 N 9.5W E27-NW	9.5W	1050lm	4000K	≥25000	15000h	E27	A 1 G	E
31206	8595665312060	A60 N 13W E27-WW	13W	1520lm	3000K	≥25000	15000h	E27	A 1 G	E
31207	8595665312077	A60 N 13W E27-NW	13W	1520lm	4000K	≥25000	15000h	E27	A 1 G	E

T8 N LED


Led lamp




Power:
220-240 AC
50/60 Hz
ONE-SIDED POWER SUPPLY

Material:
glass


Colour:
white



T8 LED N 9W



T8 LED N 18W



T8 LED N 22W



31190	8595665311902	T8 N LED 18W-CW	18W	2000lm	6500K	≥10000	15000h	G13	A 1 G	E
31191	8595665311919	T8 N LED 18W-NW	18W	2000lm	4000K	≥10000	15000h	G13	A 1 G	E
31192	8595665311926	T8 N LED 22W-NW	22W	2420lm	4000K	≥10000	15000h	G13	A 1 G	E
31193	8595665311933	T8 N LED 9W-CW	9W	1000lm	6500K	≥10000	15000h	G13	A 1 G	E
31194	8595665311940	T8 N LED 9W-NW	9W	1000lm	4000K	≥10000	15000h	G13	A 1 G	E



miLED^o



ARCHITECTURAL
& TECHNICAL
LUMINAIRES

RSTR N... NT

Surface-mounted louver fitting




Power:
220-240 AC
50/60 Hz
Material:
steel, steel sheet coated with aluminum foil

Colour:
white



IP

31058	8595665310585	RSTR N 236/4LED/NT	2 x max 36W	T8 LED	ONE-SIDED POWER SUPPLY	G13	20
-------	---------------	--------------------	-------------	--------	------------------------	-----	----



RSTR N 236/4LED/NT

DICHT 4LED

Dustproof lighting fitting




Power:
220-240 AC
50/60 Hz
Material:
ABS plastic, polystyrene

Colour:
grey




IP

31061	8595665310615	DICHT 4LED N 218/PS	2 x max 18W	T8 LED	ONE-SIDED POWER SUPPLY	G13	65
31062	8595665310622	DICHT 4LED N 236/PS	2 x max 36W	T8 LED	ONE-SIDED POWER SUPPLY	G13	65



DICHT 4LED N-218/PS



DICHT 4LED N-236/PS

CORSO LED V2

Ceiling LED lamp




Power:
220-240 AC
50 Hz

Material:
PC, steel


Colour:
white




31220	8595665312206	CORSO LED V2 12-NW	12W	900lm	4000K	≥20000	25000h	44		
31221	8595665312213	CORSO LED V2 18-NW	18W	1200lm	4000K	≥20000	25000h	44		
31222	8595665312220	CORSO LED V2 24-NW	24W	1700lm	4000K	≥20000	25000h	44		
31223	8595665312237	CORSO LED V2 12-NW-SE	12W	900lm	4000K	≥20000	25000h	44	)))	
31224	8595665312244	CORSO LED V2 18-NW-SE	18W	1200lm	4000K	≥20000	25000h	44	)))	
31225	8595665312251	CORSO LED V2 24-NW-SE	24W	1700lm	4000K	≥20000	25000h	44	)))	



CORSO LED V2 12W / 12W -SE



CORSO LED V2 18W / 18W -SE



CORSO LED V2 24W / 24W -SE

DUNO LED N

Ceiling LED lamp




Power:
220-240 AC
50/60 Hz

Material:
plastic



Colour:
white



31091	8595665310912	DUNO LED N15W-NW-O	15W	1280lm	4000K	≥15000	15000h	44		
31093	8595665310936	DUNO LED N24W-NW-O	24W	2000lm	4000K	≥15000	15000h	44		



DUNO LED N15W



DUNO LED N24W



HIBO LED N


High-bay led light fitting




Power:
220-240 AC
50/60 Hz

Material:
aluminum alloy, glass


Colour:
black




HIBO LED N 50W



HIBO LED N 100W



HIBO LED N 150W



HIBO LED N 200W

31111	8595665311117	HIBO LED N 50W-NW	50W	4500lm	4000K	≥20000	25000h	65	A	F
31112	8595665311124	HIBO LED N 100W-NW	100W	9000lm	4000K	≥20000	25000h	65	A	F
31113	8595665311131	HIBO LED N 150W-NW	150W	13500lm	4000K	≥20000	25000h	65	A	F
31114	8595665311148	HIBO LED N 200W-NW	200W	18000lm	4000K	≥20000	25000h	65	A	F

GRUN V3 LED

LED SMD floodlight



Power:
220-240 AC / 50 Hz

Material:
aluminum alloy, tempered glass

Colour:
black




ON
OFF




IP


31180	8595665311803	GRUN V3 LED-10-B	10W	810lm	4000K	≥15000	20000h	65	ATG	F
31181	8595665311810	GRUN V3 LED-20-B	20W	1570lm	4000K	≥15000	20000h	65	ATG	F
31182	8595665311827	GRUN V3 LED-30-B	30W	2340lm	4000K	≥15000	20000h	65	ATG	F
31183	8595665311834	GRUN V3 LED-50-B	50W	4000lm	4000K	≥15000	20000h	65	ATG	F
31184	8595665311841	GRUN V3 LED-70-B	70W	5660lm	4000K	≥15000	20000h	65	ATG	F
31185	8595665311858	GRUN V3 LED-100-B	100W	8150lm	4000K	≥15000	20000h	65	ATG	F




GRUN V3 LED-10-B




GRUN V3 LED-20-B




GRUN V3 LED-30-B




GRUN V3 LED-50-B




GRUN V3 LED-70-B




GRUN V3 LED-100-B




GRUN V3 LED-10-B-SE



GRUN V3 LED-20-B-SE



GRUN V3 LED-30-B-SE



GRUN V3 LED-50-B-SE



ON
OFF



IP



MOTION
SENSOR

31186	8595665311865	GRUN V3 LED-10-B-SE	10W	810lm	4000K	≥15000	20000h	44	)))	ATG	F
31187	8595665311872	GRUN V3 LED-20-B-SE	20W	1570lm	4000K	≥15000	20000h	44	)))	ATG	F
31188	8595665311889	GRUN V3 LED-30-B-SE	30W	2340lm	4000K	≥15000	20000h	44	)))	ATG	F
31189	8595665311896	GRUN V3 LED-50-B-SE	50W	4000lm	4000K	≥15000	20000h	44	)))	ATG	F





miLEDo



WIRING ACCESSORIES

H- ... PE MI N


Independent connector
with threaded clamping elements




Power:
250 AC / 50/60 Hz

Material:
plastic


Colour:
white




H-2,5mm² PE MI N




H-4mm² PE MI N



H-6mm² PE MI N



H-10mm² PE MI N



H-16mm² PE MI N

31120	8595665311209	H-2.5MM2 PE MI N	12	55°C	1 ÷ 2,5 mm²	00	
31121	8595665311216	H-4MM2 PE MI N	12	55°C	1,5 ÷ 4 mm²	00	
31122	8595665311223	H-6MM2 PE MI N	12	55°C	2,5 ÷ 6 mm²	00	
31123	8595665311230	H-10MM2 PE MI N	12	55°C	4 ÷ 10 mm²	00	
31124	8595665311247	H-16MM2 PE MI N	12	55°C	6 ÷ 16 mm²	00	

INDEX

ALPHABETICAL INDEX

A60 N 13W E27-NW	31207	8595665312077	7
A60 N 13W E27-WW	31206	8595665312060	7
A60 N 8W E27-NW	31203	8595665312039	7
A60 N 8W E27-WW	31202	8595665312022	7
A60 N 9,5W E27-NW	31205	8595665312053	7
A60 N 9,5W E27-WW	31204	8595665312046	7
CORSO LED V2 12-NW	31220	8595665312206	10
CORSO LED V2 12-NW-SE	31223	8595665312237	10
CORSO LED V2 18-NW	31221	8595665312213	10
CORSO LED V2 18-NW-SE	31224	8595665312244	10
CORSO LED V2 24-NW	31222	8595665312220	10
CORSO LED V2 24-NW-SE	31225	8595665312251	10
DICHT 4LED N 218/PS	31061	8595665310615	9
DICHT 4LED N 236/PS	31062	8595665310622	9
DUNO LED N15W-NW-O	31091	8595665310912	10
DUNO LED N24W-NW-O	31093	8595665310936	10
GRUN v3 LED-100-B	31185	8595665311803	12
GRUN v3 LED-10-B	31180	8595665311865	12
GRUN V3 LED-10-B-SE	31186	8595665311858	12
GRUN v3 LED-20-B	31181	8595665311810	12
GRUN V3 LED-20-B-SE	31187	8595665311872	12
GRUN v3 LED-30-B	31182	8595665311827	12
GRUN V3 LED-30-B-SE	31188	8595665311889	12
GRUN v3 LED-50-B	31183	8595665311834	12
GRUN V3 LED-50-B-SE	31189	8595665311896	12
GRUN v3 LED-70-B	31184	8595665311841	12
GU10 N LED 4W-CW	31210	8595665312107	6
GU10 N LED 4W-NW	31211	8595665312114	6
GU10 N LED 4W-WW	31212	8595665312121	6
GU10 N LED 6W-CW	31213	8595665312138	6
GU10 N LED 6W-NW	31214	8595665312145	6
GU10 N LED 6W-WW	31215	8595665312152	6
GU10 N LED 8W-CW	31216	8595665312169	6
GU10 N LED 8W-NW	31218	8595665312183	6
GU10 N LED 8W-WW	31217	8595665312176	6
H-10MM2 PE MI N	31123	8595665311230	15
H-16MM2 PE MI N	31124	8595665311247	15
H-2,5MM2 PE MI N	31120	8595665311209	15
H-4MM2 PE MI N	31121	8595665311216	15
H-6MM2 PE MI N	31122	8595665311223	15
HIBO LED N 100W-NW	31112	8595665311124	11
HIBO LED N 150W-NW	31113	8595665311131	11
HIBO LED N 200W-NW	31114	8595665311148	11
HIBO LED N 50W-NW	31111	8595665311117	11
RS TR N 236/4LED/NT	31058	8595665399788	9
T8 N LED 18W-CW	31190	8595665311902	7
T8 N LED 18W-NW	31191	8595665311919	7
T8 N LED 22W-NW	31192	8595665311926	7
T8 N LED 9W-CW	31193	8595665311933	7
T8 N LED 9W-NW	31194	8595665311940	7

INDEX BY MILED0 CODES

31058	RS TR N 236/4LED/NT	8595665399788	9
31061	DICHT 4LED N 218/PS	8595665310615	9
31062	DICHT 4LED N 236/PS	8595665310622	9
31091	DUNO LED N15W-NW-O	8595665310912	10
31093	DUNO LED N24W-NW-O	8595665310936	10
31111	HIBO LED N 50W-NW	8595665311117	11
31112	HIBO LED N 100W-NW	8595665311124	11
31113	HIBO LED N 150W-NW	8595665311131	11
31114	HIBO LED N 200W-NW	8595665311148	11
31120	H-2.5MM2 PE MI N	8595665311209	15
31121	H-4MM2 PE MI N	8595665311216	15
31122	H-6MM2 PE MI N	8595665311223	15
31123	H-10MM2 PE MI N	8595665311230	15
31124	H-16MM2 PE MI N	8595665311247	15
31180	GRUN v3 LED-10-B	8595665311803	12
31181	GRUN v3 LED-20-B	8595665311810	12
31182	GRUN v3 LED-30-B	8595665311827	12
31183	GRUN v3 LED-50-B	8595665311834	12
31184	GRUN v3 LED-70-B	8595665311841	12
31185	GRUN v3 LED-100-B	8595665311858	12
31186	GRUN V3 LED-10-B-SE	8595665311865	12
31187	GRUN V3 LED-20-B-SE	8595665311872	12
31188	GRUN V3 LED-30-B-SE	8595665311889	12
31189	GRUN V3 LED-50-B-SE	8595665311896	12
31190	T8 N LED 18W-CW	8595665311902	7
31191	T8 N LED 18W-NW	8595665311919	7
31192	T8 N LED 22W-NW	8595665311926	7
31193	T8 N LED 9W-CW	8595665311933	7
31194	T8 N LED 9W-NW	8595665311940	7
31202	A60 N 8W E27-WW	8595665312022	7
31203	A60 N 8W E27-NW	8595665312039	7
31204	A60 N 9,5W E27-WW	8595665312046	7
31205	A60 N 9,5W E27-NW	8595665312053	7
31206	A60 N 13W E27-WW	8595665312060	7
31207	A60 N 13W E27-NW	8595665312077	7
31210	GU10 N LED 4W-CW	8595665312107	6
31211	GU10 N LED 4W-NW	8595665312114	6
31212	GU10 N LED 4W-WW	8595665312121	6
31213	GU10 N LED 6W-CW	8595665312138	6
31214	GU10 N LED 6W-NW	8595665312145	6
31215	GU10 N LED 6W-WW	8595665312152	6
31216	GU10 N LED 8W-CW	8595665312169	6
31217	GU10 N LED 8W-WW	8595665312176	6
31218	GU10 N LED 8W-NW	8595665312183	6
31220	CORSO LED V2 12-NW	8595665312206	10
31221	CORSO LED V2 18-NW	8595665312213	10
31222	CORSO LED V2 24-NW	8595665312220	10
31223	CORSO LED V2 12-NW-SE	8595665312237	10
31224	CORSO LED V2 18-NW-SE	8595665312244	10
31225	CORSO LED V2 24-NW-SE	8595665312251	10

INDEX BY PAGE NUMBER

6	GU10 N LED 4W-CW	31210	8595665312107
6	GU10 N LED 4W-NW	31211	8595665312114
6	GU10 N LED 4W-WW	31212	8595665312121
6	GU10 N LED 6W-CW	31213	8595665312138
6	GU10 N LED 6W-NW	31214	8595665312145
6	GU10 N LED 6W-WW	31215	8595665312152
6	GU10 N LED 8W-CW	31216	8595665312169
6	GU10 N LED 8W-NW	31218	8595665312183
6	GU10 N LED 8W-WW	31217	8595665312176
7	A60 N 8W E27-WW	31202	8595665312022
7	A60 N 8W E27-NW	31203	8595665312039
7	A60 N 9,5W E27-WW	31204	8595665312046
7	A60 N 9,5W E27-NW	31205	8595665312053
7	A60 N 13W E27-WW	31206	8595665312060
7	A60 N 13W E27-NW	31207	8595665312077
7	T8 N LED 18W-CW	31190	8595665311902
7	T8 N LED 18W-NW	31191	8595665311919
7	T8 N LED 22W-NW	31192	8595665311926
7	T8 N LED 9W-CW	31193	8595665311933
7	T8 N LED 9W-NW	31194	8595665311940
9	RS TR N 236/4LED/NT	31058	8595665399788
9	DICHT 4LED N 218/PS	31061	8595665310615
9	DICHT 4LED N 236/PS	31062	8595665310622
10	CORSO LED V2 12-NW	31220	8595665312206
10	CORSO LED V2 18-NW	31221	8595665312213
10	CORSO LED V2 24-NW	31222	8595665312220
10	CORSO LED V2 12-NW-SE	31223	8595665312237
10	CORSO LED V2 18-NW-SE	31224	8595665312244
10	CORSO LED V2 24-NW-SE	31225	8595665312251
10	DUNO LED N15W-NW-O	31091	8595665310912
10	DUNO LED N24W-NW-O	31093	8595665310936
11	HIBO LED N 50W-NW	31111	8595665311117
11	HIBO LED N 100W-NW	31112	8595665311124
11	HIBO LED N 150W-NW	31113	8595665311131
11	HIBO LED N 200W-NW	31114	8595665311148
12	GRUN v3 LED-10-B	31180	8595665311803
12	GRUN v3 LED-20-B	31181	8595665311810
12	GRUN v3 LED-30-B	31182	8595665311827
12	GRUN v3 LED-50-B	31183	8595665311834
12	GRUN v3 LED-70-B	31184	8595665311841
12	GRUN v3 LED-100-B	31185	8595665311858
12	GRUN V3 LED-10-B-SE	31186	8595665311865
12	GRUN V3 LED-20-B-SE	31187	8595665311872
12	GRUN V3 LED-30-B-SE	31188	8595665311889
12	GRUN V3 LED-50-B-SE	31189	8595665311896
15	H-2.5MM2 PE MI N	31120	8595665311209
15	H-4MM2 PE MI N	31121	8595665311216
15	H-6MM2 PE MI N	31122	8595665311223
15	H-10MM2 PE MI N	31123	8595665311230
15	H-16MM2 PE MI N	31124	8595665311247

LAW NOTICE

This publication has been prepared by Miledo. Through the continuous improvement of its offer and adaptation of it to market and legal requirements, Miledo reserves the right to make changes in its product mix.

This publication is not an offer within the meaning of the Civil Code. Actual products may differ from illustrative photos and drawings included in the publication. All of the data contained in the publication is in force on the date of printing i.e. 7th of December 2021.

Miledo shall not be liable for the non-availability of products listed in this publication. Miledo also shall not be liable for any direct, indirect, accidental or any other damages (including, but not limited to, lost profits, lost revenues or similar economic losses) arising out of the use of information contained in this publication.

Miledo reserves the right for errors and changes in print.



MILED0

SADOVÁ 618, 738 01 FRÝDEK-MÍSTEK
CZECH REPUBLIC



APRISA S.R.O.
SADOVÁ 618,
738 01 FRÝDEK-MÍSTEK
CZECH REPUBLIC