

Kanlux



KANLUX AVAR


New AVAR models

Kanlux


NEW

Kanlux AVAR N


this is a new version of the well-know AVAR frames, updated with a luminous efficacy of nearly 120lm/W and a 5-year warranty



6500K



4000K



5
WARRANTY
5 years

up to

120 $\frac{\text{lm}}{\text{W}}$

kanlux.com

Kanlux

Kanlux AVAR O

A harmony of
modern design,
form, and
function.




kanlux.com




Kanlux

Kanlux AVAR CCT


Thanks to the adjustable colour temperature – 3000K warm, 4000K neutral, 6500K cool – you can tailor the lighting to your needs and create the perfect atmosphere in any interior.




6500K



4000K



3000K



kanlux.com



Kanlux

Kanlux AVAR UGR

An innovative LED lighting frame designed with the user's visual comfort in mind.

The microprismatic diffuser structure reduces glare.




kanlux.com



low
UGR

Kanlux



Kanlux AVAR

Technical data:

Rated voltage: 220–240 V

Light source: LED SMD

Beam angle: 110° (AVAR O / AVAR 6060), 90° (AVAR U), 120° (AVAR N)


Housing material: aluminium

Diffuser material: PC


Protection class against electric shock: II



AVAR N 6060 32W-NW	NEW	26788	32W	white	3700lm	4000K
AVAR N 6060 32W-CW		26789	32W	white	3700lm	6500K
AVAR O 6060 40W-NW		26785	40W	white	3500lm	4000K
AVAR 6060 32W-CCT		26779	32W	white	3800lm/3900lm/3800lm	3000K/4000K/6500K
AVAR U 6060 32W-NW		26778	32W	white	3800lm	4000K




KANLUX AVAR O
26785



KANLUX AVAR CCT
26779


KANLUX AVAR UGR
26778

KANLUX AVAR N
26788 / 26789




KANLUX AVAR N
26788
26789


up to
120 lm/W



KANLUX AVAR O
26785



KANLUX AVAR CCT
26779



KANLUX AVAR UGR
26778



5-YEAR WARRANTY UNDER THE TERMS OF THE WARRANTY STATEMENT
AVAILABLE ON THE WEBSITE