


miLED^o



**CEILING LIGHT
FITTING**


**AZPO
LED CCT**

miLED^o

AZPO LED CCT

- minimalist design
- less than 3cm of height
- halo effect

warm white




3000K

neutral white



4000K




cold white



6000K



AZPO LED CCT



31512	AZPO LED 11,8W CCT-O-W	11,8W	1300lm	3000/4000/6000	white
31513	AZPO LED 11,8W CCT-O-B	11,8W	1300lm	3000/4000/6000	black
31514	AZPO LED 18,5W CCT-O-W	18,5W	1800lm	3000/4000/6000	white
31515	AZPO LED 18,5W CCT-O-B	18,5W	1700lm	3000/4000/6000	black
31516	AZPO LED 22W CCT-O-W	22W	2700lm	3000/4000/6000	white
31517	AZPO LED 22W CCT-O-B	22W	2700lm	3000/4000/6000	black
31530	AZPO LED 12,3W CCT-L-W	12,3W	1150lm	3000/4000/6000	white
31531	AZPO LED 12,3W CCT-L-B	12,3W	1150lm	3000/4000/6000	black
31532	AZPO LED 17,5W CCT-L-W	17,5W	1800lm	3000/4000/6000	white
31533	AZPO LED 17,5W CCT-L-B	17,5W	1800lm	3000/4000/6000	black
31534	AZPO LED 22W CCT-L-W	22W	2600lm	3000/4000/6000	white
31535	AZPO LED 22W CCT-L-B	22W	2550lm	3000/4000/6000	black

rated voltage: 220-240 V
 light source: LED SMD
 beam angle: 120°
 fixture durability: 20 000h
 ambient temperature range[°C]: -20 ÷ 40
 housing material: plastic
 shade material: plastic
 IP54
 electric shock protection class: II