



Kanlux

Kanlux ALIN 4LED 1240mm



 220-240 AC	 50	 max 36		 G13		 IP 20
	 5÷25 °C				 1,5÷2,5 [mm]	 ONE SIDE INPUT
 0,5m						

ALIN 4LED 1X120-W

		TYPE			
ALIN 4LED 1X120-W	27413	matt	fehér	T8 LED	1240
ALIN 4LED 1X120-SR	27415	matt	ezüst	T8 LED	1240
ALIN 4LED 1X120-B	27414	matt	fekete	T8 LED	1240
AL 4LED 120-MPR-W	28449	mikroprizmás	fehér	T8 LED	1240
AL 4LED 120-MPR-SR	28451	mikroprizmás	ezüst	T8 LED	1240
AL 4LED 120-MPR-B	28450	mikroprizmás	fekete	T8 LED	1240



ALIN 4LED 1X120-W



ALIN 4LED 1X120-SR



ALIN 4LED 1X120-B




AL 4LED 120-MPR-W




AL 4LED 120-MPR-SR




AL 4LED 120-MPR-B




ALIN 4LED 1X120-W




ALIN 4LED 1X120-SR




ALIN 4LED 1X120-B



AL 4LED 120-MPR-W



AL 4LED 120-MPR-SR



AL 4LED 120-MPR-B

Létrehozás dátuma: 28.07.2025, 20:15

Fenntartjuk a műszaki változtatások bevezetésének jogát. A jelen anyagban található adatok jogi szempontból nem kötelező érvényűek.

Fotometria: adott termék vizsgálatkor elért eredmények.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

