

G45 N

LED fényforrás



 [V] 220-240 AC	 [Hz] 50	 SMD	 360° Φ _{use}	 ellipse ≤ 6x MacAdam	 Ra 80	 ≥15000
 15000	 Hg					

G45 N 4,9W E27-NW

	 [W]	 [W]	 [lm] Φ _{use}	 TC [K]	 [°]		 Ei
G45 N 4,9W E27-NW	31310	4,9	40	470	4000	150	E27 F
G45 N 4,9W E27-WW	31311	4,9	40	470	3000	150	E27 F
G45 N 6,5W E14-NW	31312	6,5	60	806	4000	150	E14 E
G45 N 6,5W E14-WW	31313	6,5	60	806	3000	150	E14 E
G45 N 6,5W E27-NW	31314	6,5	60	806	4000	150	E27 E
G45 N 6,5W E27-WW	31315	6,5	60	806	3000	150	E27 E

G45 N

LED fényforrás



G45 N 4,9W E27-NW



G45 N 4,9W E27-WW



G45 N 6,5W E14-NW




G45 N 6,5W E14-WW




G45 N 6,5W E27-NW




G45 N 6,5W E27-WW




G45 N 4,9W E27-NW



G45 N 4,9W E27-WW




G45 N 6,5W E14-NW




G45 N 6,5W E14-WW

G45 N

LED fényforrás



G45 N 6,5W E27-NW



G45 N 6,5W E27-WW