

A photograph of a modern, single-story building with a white facade and a dark, sloped roof. The building features large windows and a series of vertical black slats. In the foreground, there is a green lawn with three white, cube-shaped outdoor lights. A large, dark blue diagonal graphic element is overlaid on the right side of the image, containing white text.

# ***Kanlux***

**Nouvelle gamme  
de luminaires  
de jardin**

Kanlux **UBOS**

avec source  
de lumière  
remplaçable



The image shows a modern architectural courtyard. On the left, there is a large glass wall reflecting the sky and surrounding greenery. The courtyard floor is covered with light-colored gravel and several clumps of green grass. In the foreground, a white, cube-shaped light fixture is illuminated, casting a soft glow. In the background, a paved walkway leads to a green lawn and trees. The sky is blue with some clouds. The overall design is minimalist and contemporary.

# Kanlux

Kanlux **UBOS**  
est un luminaire  
élégant et moderne  
pour tout **jardin**,  
**terrasse** ou même  
**balcon**.



# Kanlux

Ce **luminaire est unique** par **sa forme** géométrique et sa fonctionnalité.

Il peut **servir également comme table**, un tel appareil sera très utile sur les balcons ou l'on manque souvent d'espace, ou bien dans les jardins et les terrasses.



# Kanlux

**Créez votre une  
ambiance unique**  
dans votre jardin

(choix de la puissance  
et de la température  
de couleur)

**Le duo parfait**  
avec la gamme de  
lampes à filament Led

Kanlux **XLED**



Source non fournie.



# Kanlux

Kanlux **UBOS**  
fonctionne par tous  
les temps grâce à son  
degré de protection **IP65**,

et dispose d'un câble  
d'alimentation (3m)  
et de pics qui permettent  
de fixer le luminaire au sol.





# Kanlux



**Large éventail d'applications:**  
à l'extérieur (jardins, terrasses, balcons) ou à l'intérieur.



**Kanlux**






**Kanlux**





# Kanlux

## Kanlux **UBOS**



### Caractéristiques techniques:

- tension nominale: **220-240V~; 50Hz**
- puissance maximale: **25W**
- culot: **E27**
- degré IP: **IP65**
- classe de protection: **I**
- matériau: plastique rigide



UBOS 30



UBOS 40

NOM	CODE	DIMENSIONS
UBOS 30	<b>33480</b>	295x295x300 mm
UBOS 40	<b>33481</b>	390x390x397 mm

Source non incluse.



**Kanlux**

Kanlux **UBOS**



**Packaging de qualité**

**kanlux.com**