

Kanlux

Kanlux **AVAR W CCT**
A new version



Kanlux



Kanlux **AVAR W**

**Durability and reliability, confirmed
by a 5-year warranty.**

LOW UGR – the AVAR W U 32W fitting
is equipped with a microprismatic
diffuser, reducing glare

***5-YEAR WARRANTY SUBJECT TO TERMS AND
CONDITIONS.**

**OF THE WARRANTY STATEMENT
AVAILABLE ON THE WEBSITE**

Kanlux



Kanlux **AVAR W CCT**

The CCT function **allows the colour temperature of the light to be adjusted to suit the space.**

6000K

4000K

3000K



Colour temperature selector switch

Kanlux



Application:
Kanlux AVAR W CCT –
office spaces, commercial
areas, reception areas,
offices, conference rooms.

Kanlux AVAR W CCT




46070 AVAR W U 6060 32W-CCT

32W

3000K - 3800lm
4000K - 4000lm
6000K - 3900lm

WW/NW/CW

3000K
4000K
6000K



Rated voltage: **220-240 AC**
Body material: **aluminium alloy**
Diffuser material: **plastic**
Light source lifetime: **50,000 h**
Number of on/off cycles: **50,000**

Kanlux

On the back of the packaging, there is a template for cutting out the ceiling panel



**Kanlux
AVAR W
CCT**
well packed

kanlux.com