

OFIS RST LED N1

Surface-mounted LED office fixture



[V] 220-240 AC	[Hz] 50	≥30000	50000	ellipse ≤3x MacAdam	Ra 80	SMD
		IP 20		[°C] 5÷25		
[mm²] 1.5÷2.5	0,5m					



OS RST W N1



	[°]	[lm]	Tc [K]		[°]		
OS-S5D-WW-RST-W-N1	35810	22W	3200	3000	louvre	50	white
OS-L5D-WW-RST-W-N1	35814	31W	4300	3000	louvre	50	white
OS-M5D-WW-RST-W-N1	35818	39W	5400	3000	louvre	50	white
OS-H5D-WW-RST-W-N1	35822	49W	6300	3000	louvre	50	white
OS-S5D-NW-RST-W-N1	35826	22W	3200	4000	louvre	50	white
OS-L5D-NW-RST-W-N1	35830	31W	4300	4000	louvre	50	white
OS-M5D-NW-RST-W-N1	35834	39W	5400	4000	louvre	50	white
OS-H5D-NW-RST-W-N1	35838	49W	6300	4000	louvre	50	white
OS-S8D-WW-RST-W-N1	35842	22W	3200	3000	louvre	80	white
OS-L8D-WW-RST-W-N1	35846	31W	4300	3000	louvre	80	white
OS-M8D-WW-RST-W-N1	35850	39W	5400	3000	louvre	80	white
OS-H8D-WW-RST-W-N1	35854	49W	6300	3000	louvre	80	white
OS-S8D-NW-RST-W-N1	35858	22W	3200	4000	louvre	80	white
OS-L8D-NW-RST-W-N1	35862	31W	4300	4000	louvre	80	white
OS-M8D-NW-RST-W-N1	35866	39W	5400	4000	louvre	80	white
OS-H8D-NW-RST-W-N1	35870	49W	6300	4000	louvre	80	white

OFIS RST LED N1

Surface-mounted LED office fixture



OS-S5D-WW-RST-B-N1	35938	22W	2800	3000	louvre	50	black
OS-L5D-WW-RST-B-N1	35942	31W	3800	3000	louvre	50	black
OS-M5D-WW-RST-B-N1	35946	39W	4800	3000	louvre	50	black
OS-H5D-WW-RST-B-N1	35950	49W	5600	3000	louvre	50	black
OS-S5D-NW-RST-B-N1	35954	22W	2800	4000	louvre	50	black
OS-L5D-NW-RST-B-N1	35958	31W	3800	4000	louvre	50	black
OS-M5D-NW-RST-B-N1	35962	39W	4800	4000	louvre	50	black
OS-H5D-NW-RST-B-N1	35966	49W	5600	4000	louvre	50	black
OS-S8D-WW-RST-B-N1	35970	22W	2800	3000	louvre	80	black
OS-L8D-WW-RST-B-N1	35974	31W	3800	3000	louvre	80	black
OS-M8D-WW-RST-B-N1	35978	39W	4800	3000	louvre	80	black
OS-H8D-WW-RST-B-N1	35982	49W	5600	3000	louvre	80	black
OS-S8D-NW-RST-B-N1	35986	22W	2800	4000	louvre	80	black
OS-L8D-NW-RST-B-N1	35990	31W	3800	4000	louvre	80	black
OS-M8D-NW-RST-B-N1	35994	39W	4800	4000	louvre	80	black
OS-H8D-NW-RST-B-N1	35998	49W	5600	4000	louvre	80	black
OS-S5D-WN-RST-W-N1	36066	22W	3200	3500	louvre	50	white
OS-L5D-WN-RST-W-N1	36070	31W	4300	3500	louvre	50	white
OS-M5D-WN-RST-W-N1	36074	39W	5400	3500	louvre	50	white
OS-H5D-WN-RST-W-N1	36078	49W	6300	3500	louvre	50	white
OS-S8D-WN-RST-W-N1	36082	22W	3200	3500	louvre	80	white
OS-L8D-WN-RST-W-N1	36086	31W	4300	3500	louvre	80	white
OS-M8D-WN-RST-W-N1	36090	39W	5400	3500	louvre	80	white
OS-H8D-WN-RST-W-N1	36094	49W	6300	3500	louvre	80	white
OS-S5D-WN-RST-B-N1	36130	22W	2800	3500	louvre	50	black
OS-L5D-WN-RST-B-N1	36134	31W	3800	3500	louvre	50	black
OS-M5D-WN-RST-B-N1	36138	39W	4800	3500	louvre	50	black
OS-H5D-WN-RST-B-N1	36142	49W	5600	3500	louvre	50	black
OS-S8D-WN-RST-B-N1	36146	22W	2800	3500	louvre	80	black
OS-L8D-WN-RST-B-N1	36150	31W	3800	3500	louvre	80	black
OS-M8D-WN-RST-B-N1	36154	39W	4800	3500	louvre	80	black
OS-H8D-WN-RST-B-N1	36158	49W	5600	3500	louvre	80	black

- 5 years Warranty under the terms of the warranty statement, available on our website
- Enclosure material: Metal
- Lampshade material: plastic

OFIS RST LED N1


Surface-mounted LED office fixture



OS RST W N1



OS RST B N1



OS RST N1

