

## HIERRO

линейно LED осветително тяло










 220-240 AC	 50	 ≥30000	 50000	 ≤ 6x MacAdam	 80	 SMD
 1,5÷2,5		 IP 20		 5÷25		
 1,5÷2,5		 0,5m				



HR-ML-WW-W-NT

## HIERRO

линейно LED осветително тяло

							
	[W]	Tc [K]	TYPE	[°]		[lm]	[mm]
HR-ML-WW-W-NT	<b>36942</b>	18	3000	растер	X60/Y60	бял	2350 570
HR-MM-WW-W-NT	<b>36943</b>	23	3000	растер	X60/Y60	бял	2850 570
HR-MH-WW-W-NT	<b>36944</b>	28	3000	растер	X60/Y60	бял	3300 570
HR-ML-WW-B-NT	<b>36950</b>	18	3000	растер	X60/Y60	черен	2100 570
HR-MM-WW-B-NT	<b>36951</b>	23	3000	растер	X60/Y60	черен	2500 570
HR-MH-WW-B-NT	<b>36952</b>	28	3000	растер	X60/Y60	черен	2900 570
HR-ML-WN-W-NT	<b>36958</b>	18	3500	растер	X60/Y60	бял	2400 570
HR-MM-WN-W-NT	<b>36959</b>	23	3500	растер	X60/Y60	бял	2900 570
HR-MH-WN-W-NT	<b>36960</b>	28	3500	растер	X60/Y60	бял	3350 570
HR-ML-WN-B-NT	<b>36966</b>	18	3500	растер	X60/Y60	черен	2150 570
HR-MM-WN-B-NT	<b>36967</b>	23	3500	растер	X60/Y60	черен	2600 570
HR-MH-WN-B-NT	<b>36968</b>	28	3500	растер	X60/Y60	черен	3000 570
HR-ML-NW-W-NT	<b>36974</b>	18	4000	растер	X60/Y60	бял	2450 570
HR-MM-NW-W-NT	<b>36975</b>	23	4000	растер	X60/Y60	бял	3000 570
HR-MH-NW-W-NT	<b>36976</b>	28	4000	растер	X60/Y60	бял	3450 570
HR-ML-NW-B-NT	<b>36982</b>	18	4000	растер	X60/Y60	черен	2200 570
HR-MM-NW-B-NT	<b>36983</b>	23	4000	растер	X60/Y60	черен	2650 570
HR-MH-NW-B-NT	<b>36984</b>	28	4000	растер	X60/Y60	черен	3050 570

- Материал на корпуса: стомана, пластмаса
- Материал на дифузера: пластмаса



## HIERRO

линейно LED осветително тяло



HR-ML-WW-W-NT



HR-MM-WW-W-NT



HR-MH-WW-W-NT



HR-ML-WW-B-NT



HR-MM-WW-B-NT



HR-MH-WW-B-NT



HR-ML-WN-W-NT



HR-MM-WN-W-NT



HR-MH-WN-W-NT



HR-ML-WN-B-NT



HR-MM-WN-B-NT



HR-MH-WN-B-NT



HR-ML-NW-W-NT



HR-MM-NW-W-NT



HR-MH-NW-W-NT



HR-ML-NW-B-NT

## HIERRO


линейно LED осветително тяло



HR-MM-NW-B-NT



HR-MH-NW-B-NT



HR-MH-NT

