


KMC

Stycznik modułowy, sterowanie 230V AC



KMC-20-20



| | | | |
|-----------|--------------|--------|---|
| KMC-20-20 | 23240 | 230 AC | 1 |
| KMC-20-40 | 23241 | 230 AC | 2 |
| KMC-63-40 | 23242 | 230 AC | 3 |
| KMC-20-11 | 23244 | 230 AC | 1 |
| KMC-25-31 | 23247 | 230 AC | 2 |
| KMC-25-20 | 23251 | 230 AC | 1 |
| KMC-25-40 | 23252 | 230 AC | 2 |
| KMC-40-20 | 23253 | 230 AC | 2 |
| KMC-40-40 | 23254 | 230 AC | 3 |

Stycznik służy do automatycznego włączania odbiorników energii elektrycznej. Kategorie użytkowania AC7a, AC7b.

KMC

Stycznik modułowy, sterowanie 230V AC



KMC-20-20



KMC-20-40



KMC-63-40



KMC-20-11



KMC-25-31



KMC-25-20




KMC-25-40




KMC-40-20




KMC-40-40




KMC-20-20



KMC-20-40




KMC-63-40




KMC-20-11

KMC


Stycznik modułowy, sterowanie 230V AC




KMC-25-31




KMC-25-20



KMC-25-40



KMC-40-20



KMC-40-40