

LEDS-B RGB

LED-Streifen



[V] 12 DC	III	Tc [K] RGB	≥15000	Hg	House	SMD
15000 [h]	Wavy line	0,1m	5-25 °C	360° Φuse	CE	ERC
UK CA						



LEDS-B 7.2W/M IP00RGB



				IP	[mm]
LEDS-B 7,2W/M IP00RGB	24530	0,5m = max 3,6	0,5m = max 65	00	5000
LEDS-B 7,2W/M IP54RGB	24532	0,5m = max 3,6	0,5m = max 65	54	5000
LEDS-B 7,2W/M IP65RGB	24531	0,5m = max 3,6	0,5m = max 65	65	5000
LEDS-B14,4W/M IP00RGB	24545	0,5m = max 7,2	0,5m = max 125	00	5000
LEDS-B14,4W/M IP54RGB	24546	0,5m = max 7,2	0,5m = max 100	54	5000
LEDS-B14,4W/M IP65RGB	24547	0,5m = max 7,2	0,5m = max 120	65	5000

Kanlux LEDS-B RGB sind moderne Dekorstreifen. Ideal für den häuslichen Gebrauch, wo sie einzigartige Arrangements bilden können, die nur durch unsere Vorstellungskraft begrenzt sind. Sie zeichnen sich durch hohe Flexibilität, gute Haftung und hohe Lebensdauer aus. Je nach Ort, den wir ausleuchten oder in dem wir Lichtakzente setzen möchten, können wir die uns gewünschte und entsprechende Lichtfarbe wählen.

LEDS-B RGB

LED-Streifen



LEDS-B 7.2W/M IP00RGB



LEDS-B 7.2W/M IP54RGB



LEDS-B 7.2W/M IP65RGB



LEDS-B14,4W/M IP00RGB




LEDS-B14,4W/M IP54RGB




LEDS-B14,4W/M IP65RGB

LEDS-B RGB


LED-Streifen




LEDS-B 7.2W/M IP00RGB




LEDS-B 7.2W/M IP54RGB




LEDS-B 7.2W/M IP65RGB



LEDS-B14,4W/M IP00RGB



LEDS-B14,4W/M IP54RGB



LEDS-B14,4W/M IP65RGB

Zubehör

19036

CONNECTOR RGB 10-CP

LED-Streifenverbinder, CONNECTOR RGB 10-CP (19036)



19037

CONNECTOR RGB 10-CPC

LED-Streifenverbinder, CONNECTOR RGB 10-CPC (19037)



19038

CONNECTOR RGB 10

LED-Streifenverbinder, CONNECTOR RGB 10 (19038)

