


## ALIN 4LED 1540mm

### Langfeldleuchte T8/LED



<b>[V]</b> 220-240 AC	<b>[Hz]</b> 50	<b>[W]</b> max 58	<b>G13</b>	<b>IP</b> 20	
<b>[°C]</b> 5÷25			<b>[mm<sup>2</sup>]</b> 1,5÷2,5	<b>L N</b> ONE SIDE INPUT	 <b>0,5m</b>
<b>CE</b>	<b>EAC</b>	<b>PZH</b>	<b>UK</b> <b>CA</b>		

### ALIN 4LED 1X150-W

ALIN 4LED 1X150-W	<b>27422</b>	matt	weiß	T8 LED	1540
ALIN 4LED 1X150-SR	<b>27424</b>	matt	silber	T8 LED	1540
ALIN 4LED 1X150-B	<b>27423</b>	matt	schwarz	T8 LED	1540
AL 4LED 150-MPR-W	<b>28455</b>	mikroprismatisch	weiß	T8 LED	1540
AL 4LED 150-MPR-SR	<b>28457</b>	mikroprismatisch	silber	T8 LED	1540
AL 4LED 150-MPR-B	<b>28456</b>	mikroprismatisch	schwarz	T8 LED	1540

- Gehäusematerial: Aluminiumlegierung
- Abdeckungsmaterial: Kunststoff

## ALIN 4LED 1540mm

Langfeldleuchte T8/LED



ALIN 4LED 1X150-W



ALIN 4LED 1X150-SR



ALIN 4LED 1X150-B



AL 4LED 150-MPR-W



AL 4LED 150-MPR-SR




AL 4LED 150-MPR-B


## ALIN 4LED 1540mm

---

### Langfeldleuchte T8/LED



ALIN 4LED 1X150



ALIN 4LED 150-MPR