

G45 N

Źródło światła LED



[V]  
220-240 AC

[Hz]  
50

SMD

360°  
Φ<sub>use</sub>

ellipse  
≤ 6x MacAdam

Ra  
80

≥15000

15000 [h]

Hg

G45 N 4,9W E27-NW

[W]

[W]

[lm] Φ<sub>use</sub>

TC [K]

[°]

A  
G

|                   |       |     |    |     |      |     |     |   |
|-------------------|-------|-----|----|-----|------|-----|-----|---|
| G45 N 4,9W E27-NW | 31310 | 4,9 | 40 | 470 | 4000 | 150 | E27 | F |
| G45 N 4,9W E27-WW | 31311 | 4,9 | 40 | 470 | 3000 | 150 | E27 | F |
| G45 N 6,5W E14-NW | 31312 | 6,5 | 60 | 806 | 4000 | 150 | E14 | E |
| G45 N 6,5W E14-WW | 31313 | 6,5 | 60 | 806 | 3000 | 150 | E14 | E |
| G45 N 6,5W E27-NW | 31314 | 6,5 | 60 | 806 | 4000 | 150 | E27 | E |
| G45 N 6,5W E27-WW | 31315 | 6,5 | 60 | 806 | 3000 | 150 | E27 | E |

## G45 N

### Źródło światła LED



G45 N 4,9W E27-NW



G45 N 4,9W E27-WW



G45 N 6,5W E14-NW




G45 N 6,5W E14-WW




G45 N 6,5W E27-NW




G45 N 6,5W E27-WW




G45 N 4,9W E27-NW



G45 N 4,9W E27-WW



G45 N 6,5W E14-NW




G45 N 6,5W E14-WW


## G45 N

---

### Źródło światła LED



G45 N 6,5W E27-NW



G45 N 6,5W E27-WW