

## HIERRO

### LED-Langfeldleuchte










 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
		 IP 20		 5÷25	
 1,5÷2,5		 0,5m			



HR-ML-WW-W-NT

## HIERRO

### LED-Langfeldleuchte

								
		[W]	T <sub>c</sub> [K]	TYPE	[°]		[lm]	[mm]
HR-ML-WW-W-NT	<b>36942</b>	18	3000	raster	X60/Y60	weiß	2350	570
HR-MM-WW-W-NT	<b>36943</b>	23	3000	raster	X60/Y60	weiß	2850	570
HR-MH-WW-W-NT	<b>36944</b>	28	3000	raster	X60/Y60	weiß	3300	570
HR-ML-WW-B-NT	<b>36950</b>	18	3000	raster	X60/Y60	schwarz	2100	570
HR-MM-WW-B-NT	<b>36951</b>	23	3000	raster	X60/Y60	schwarz	2500	570
HR-MH-WW-B-NT	<b>36952</b>	28	3000	raster	X60/Y60	schwarz	2900	570
HR-ML-WN-W-NT	<b>36958</b>	18	3500	raster	X60/Y60	weiß	2400	570
HR-MM-WN-W-NT	<b>36959</b>	23	3500	raster	X60/Y60	weiß	2900	570
HR-MH-WN-W-NT	<b>36960</b>	28	3500	raster	X60/Y60	weiß	3350	570
HR-ML-WN-B-NT	<b>36966</b>	18	3500	raster	X60/Y60	schwarz	2150	570
HR-MM-WN-B-NT	<b>36967</b>	23	3500	raster	X60/Y60	schwarz	2600	570
HR-MH-WN-B-NT	<b>36968</b>	28	3500	raster	X60/Y60	schwarz	3000	570
HR-ML-NW-W-NT	<b>36974</b>	18	4000	raster	X60/Y60	weiß	2450	570
HR-MM-NW-W-NT	<b>36975</b>	23	4000	raster	X60/Y60	weiß	3000	570
HR-MH-NW-W-NT	<b>36976</b>	28	4000	raster	X60/Y60	weiß	3450	570
HR-ML-NW-B-NT	<b>36982</b>	18	4000	raster	X60/Y60	schwarz	2200	570
HR-MM-NW-B-NT	<b>36983</b>	23	4000	raster	X60/Y60	schwarz	2650	570
HR-MH-NW-B-NT	<b>36984</b>	28	4000	raster	X60/Y60	schwarz	3050	570

- Gehäusematerial: Stahl, Kunststoff
- Abdeckungsmaterial: Kunststoff



## HIERRO

### LED-Longfieldleuchte



HR-ML-WW-W-NT



HR-MM-WW-W-NT



HR-MH-WW-W-NT



HR-ML-WW-B-NT



HR-MM-WW-B-NT



HR-MH-WW-B-NT



HR-ML-WN-W-NT



HR-MM-WN-W-NT



HR-MH-WN-W-NT



HR-ML-WN-B-NT



HR-MM-WN-B-NT



HR-MH-WN-B-NT



HR-ML-NW-W-NT



HR-MM-NW-W-NT



HR-MH-NW-W-NT



HR-ML-NW-B-NT

## HIERRO

---


### LED-Longfieldleuchte



HR-MM-NW-B-NT



HR-MH-NW-B-NT



HR-MH-NT

