

HIERRO

LED-Langfeldleuchte










 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
		 IP 20		 5÷25	
 1,5÷2,5		 0,5m			




HR-LL-WW-W-NT

HIERRO

LED-Langfeldleuchte

									[mm]
HR-LL-WW-W-NT	36945	23	3000	raster	X60/Y60	weiß	3000	850	
HR-LM-WW-W-NT	36946	32	3000	raster	X60/Y60	weiß	4000	850	
HR-LH-WW-W-NT	36947	42	3000	raster	X60/Y60	weiß	4950	850	
HR-LL-WW-B-NT	36953	23	3000	raster	X60/Y60	schwarz	2650	850	
HR-LM-WW-B-NT	36954	32	3000	raster	X60/Y60	schwarz	3550	850	
HR-LH-WW-B-NT	36955	42	3000	raster	X60/Y60	schwarz	4350	850	
HR-LL-WN-W-NT	36961	23	3500	raster	X60/Y60	weiß	3050	850	
HR-LM-WN-W-NT	36962	32	3500	raster	X60/Y60	weiß	4100	850	
HR-LH-WN-W-NT	36963	42	3500	raster	X60/Y60	weiß	5050	850	
HR-LL-WN-B-NT	36969	23	3500	raster	X60/Y60	schwarz	2700	850	
HR-LM-WN-B-NT	36970	32	3500	raster	X60/Y60	schwarz	3650	850	
HR-LH-WN-B-NT	36971	42	3500	raster	X60/Y60	schwarz	4500	850	
HR-LL-NW-W-NT	36977	23	4000	raster	X60/Y60	weiß	3150	850	
HR-LM-NW-W-NT	36978	32	4000	raster	X60/Y60	weiß	4200	850	
HR-LH-NW-W-NT	36979	42	4000	raster	X60/Y60	weiß	5150	850	
HR-LL-NW-B-NT	36985	23	4000	raster	X60/Y60	schwarz	2800	850	
HR-LM-NW-B-NT	36986	32	4000	raster	X60/Y60	schwarz	3750	850	
HR-LH-NW-B-NT	36987	42	4000	raster	X60/Y60	schwarz	4600	850	

- Gehäusematerial: Stahl, Kunststoff
- Abdeckungsmaterial: Kunststoff



HIERRO

LED-Longfieldleuchte



HR-LL-WW-W-NT



HR-LM-WW-W-NT



HR-LH-WW-W-NT



HR-LL-WW-B-NT



HR-LM-WW-B-NT



HR-LH-WW-B-NT



HR-LL-WN-W-NT



HR-LM-WN-W-NT



HR-LH-WN-W-NT



HR-LL-WN-B-NT



HR-LM-WN-B-NT



HR-LH-WN-B-NT



HR-LL-NW-W-NT



HR-LM-NW-W-NT



HR-LH-NW-W-NT



HR-LL-NW-B-NT

HIERRO


LED-Longfieldleuchte



HR-LM-NW-B-NT



HR-LH-NW-B-NT



HR-LH-NT

