

HIERRO

LED-Langfeldleuchte



 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
		 IP 20		 5÷25	
 1,5÷2,5		 0,5m			



HR-SL-WW-W-NT

HR-SL-WW-W-NT	36940	9	3000	raster	X60/Y60	weiß	1150	290
HR-SH-WW-W-NT	36941	14	3000	raster	X60/Y60	weiß	1650	290
HR-SL-WW-B-NT	36948	9	3000	raster	X60/Y60	schwarz	1050	290
HR-SH-WW-B-NT	36949	14	3000	raster	X60/Y60	schwarz	1450	290
HR-SL-WN-W-NT	36956	9	3500	raster	X60/Y60	weiß	1200	290
HR-SH-WN-W-NT	36957	14	3500	raster	X60/Y60	weiß	1700	290
HR-SL-WN-B-NT	36964	9	3500	raster	X60/Y60	schwarz	1050	290
HR-SH-WN-B-NT	36965	14	3500	raster	X60/Y60	schwarz	1500	290
HR-SL-NW-W-NT	36972	9	4000	raster	X60/Y60	weiß	1250	290
HR-SH-NW-W-NT	36973	14	4000	raster	X60/Y60	weiß	1700	290
HR-SL-NW-B-NT	36980	9	4000	raster	X60/Y60	schwarz	1100	290
HR-SH-NW-B-NT	36981	14	4000	raster	X60/Y60	schwarz	1550	290

- Gehäusematerial: Stahl, Kunststoff
- Abdeckungsmaterial: Kunststoff

HIERRO

LED-Longfieldleuchte



HR-SL-WW-W-NT



HR-SH-WW-W-NT



HR-SL-WW-B-NT



HR-SH-WW-B-NT



HR-SL-WN-W-NT



HR-SH-WN-W-NT



HR-SL-WN-B-NT



HR-SH-WN-B-NT



HR-SL-NW-W-NT



HR-SH-NW-W-NT




HR-SL-NW-B-NT



HR-SH-NW-B-NT

HIERRO

LED-Longfieldleuchte



HR-SH-NT

