

## HIERRO

### LED-Langfeldleuchte










 220-240 AC	 50	 ≥30000	 50000	 ≤6x MacAdam	 80	
		 IP 20		 5÷25		
 1,5÷2,5		 0,5m				



HR-LL-WW-W-PT

## HIERRO

### LED-Langfeldleuchte

								
		[W]	Tc [K]	TYPE	[°]		[m]	[mm]
HR-LL-WW-W-PT	<b>37029</b>	23	3000	raster	X60/Y60	weiß	3000	875
HR-LM-WW-W-PT	<b>37030</b>	32	3000	raster	X60/Y60	weiß	4000	875
HR-LH-WW-W-PT	<b>37031</b>	42	3000	raster	X60/Y60	weiß	4950	875
HR-LL-WW-B-PT	<b>37037</b>	23	3000	raster	X60/Y60	schwarz	2650	875
HR-LM-WW-B-PT	<b>37038</b>	32	3000	raster	X60/Y60	schwarz	3550	875
HR-LH-WW-B-PT	<b>37039</b>	42	3000	raster	X60/Y60	schwarz	4350	875
HR-LL-WN-W-PT	<b>37045</b>	23	3500	raster	X60/Y60	weiß	3050	875
HR-LM-WN-W-PT	<b>37046</b>	32	3500	raster	X60/Y60	weiß	4100	875
HR-LH-WN-W-PT	<b>37047</b>	42	3500	raster	X60/Y60	weiß	5050	875
HR-LL-WN-B-PT	<b>37053</b>	23	3500	raster	X60/Y60	schwarz	2700	875
HR-LM-WN-B-PT	<b>37054</b>	32	3500	raster	X60/Y60	schwarz	3650	875
HR-LH-WN-B-PT	<b>37055</b>	42	3500	raster	X60/Y60	schwarz	4500	875
HR-LL-NW-W-PT	<b>37061</b>	23	4000	raster	X60/Y60	weiß	3150	875
HR-LM-NW-W-PT	<b>37062</b>	32	4000	raster	X60/Y60	weiß	4200	875
HR-LH-NW-W-PT	<b>37063</b>	42	4000	raster	X60/Y60	weiß	5150	875
HR-LL-NW-B-PT	<b>37069</b>	23	4000	raster	X60/Y60	schwarz	2800	875
HR-LM-NW-B-PT	<b>37070</b>	32	4000	raster	X60/Y60	schwarz	3750	875
HR-LH-NW-B-PT	<b>37071</b>	42	4000	raster	X60/Y60	schwarz	4600	875

- Gehäusematerial: Stahl, Kunststoff
- Abdeckungsmaterial: Kunststoff



## HIERRO

### LED-Longfieldleuchte



HR-LL-WW-W-PT



HR-LM-WW-W-PT



HR-LH-WW-W-PT



HR-LL-WW-B-PT



HR-LM-WW-B-PT



HR-LH-WW-B-PT



HR-LL-WN-W-PT



HR-LM-WN-W-PT



HR-LH-WN-W-PT



HR-LL-WN-B-PT



HR-LM-WN-B-PT



HR-LH-WN-B-PT



HR-LL-NW-W-PT



HR-LM-NW-W-PT



HR-LH-NW-W-PT



HR-LL-NW-B-PT

## HIERRO

---


### LED-Longfieldleuchte



HR-LM-NW-B-PT



HR-LH-NW-B-PT



HR-L-PT

