


HIERRO

LED-Longfieldleuchte










 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
		 IP 20		 5÷25	
 1,5÷2,5		 0,5m			



HR-ML-WW-W-PT

HIERRO

LED-Langfeldleuchte

								
		[W]	Tc [K]	TYPE	[°]		[lm]	[mm]
HR-ML-WW-W-PT	37026	18	3000	raster	X60/Y60	weiß	2350	595
HR-MM-WW-W-PT	37027	23	3000	raster	X60/Y60	weiß	2850	595
HR-MH-WW-W-PT	37028	28	3000	raster	X60/Y60	weiß	3300	595
HR-ML-WW-B-PT	37034	18	3000	raster	X60/Y60	schwarz	2100	595
HR-MM-WW-B-PT	37035	23	3000	raster	X60/Y60	schwarz	2500	595
HR-MH-WW-B-PT	37036	28	3000	raster	X60/Y60	schwarz	2900	595
HR-ML-WN-W-PT	37042	18	3500	raster	X60/Y60	weiß	2400	595
HR-MM-WN-W-PT	37043	23	3500	raster	X60/Y60	weiß	2900	595
HR-MH-WN-W-PT	37044	28	3500	raster	X60/Y60	weiß	3350	595
HR-ML-WN-B-PT	37050	18	3500	raster	X60/Y60	schwarz	2150	595
HR-MM-WN-B-PT	37051	23	3500	raster	X60/Y60	schwarz	2600	595
HR-MH-WN-B-PT	37052	28	3500	raster	X60/Y60	schwarz	3000	595
HR-ML-NW-W-PT	37058	18	4000	raster	X60/Y60	weiß	2450	595
HR-MM-NW-W-PT	37059	23	4000	raster	X60/Y60	weiß	3000	595
HR-MH-NW-W-PT	37060	28	4000	raster	X60/Y60	weiß	3450	595
HR-ML-NW-B-PT	37066	18	4000	raster	X60/Y60	schwarz	2200	595
HR-MM-NW-B-PT	37067	23	4000	raster	X60/Y60	schwarz	2650	595
HR-MH-NW-B-PT	37068	28	4000	raster	X60/Y60	schwarz	3050	595

- Gehäusematerial: Stahl, Kunststoff
- Abdeckungsmaterial: Kunststoff



HIERRO

LED-Longfieldleuchte



HR-ML-WW-W-PT



HR-MM-WW-W-PT



HR-MH-WW-W-PT



HR-ML-WW-B-PT



HR-MM-WW-B-PT



HR-MH-WW-B-PT



HR-ML-WN-W-PT



HR-MM-WN-W-PT



HR-MH-WN-W-PT



HR-ML-WN-B-PT



HR-MM-WN-B-PT



HR-MH-WN-B-PT



HR-ML-NW-W-PT



HR-MM-NW-W-PT



HR-MH-NW-W-PT



HR-ML-NW-B-PT

HIERRO


LED-Longfieldleuchte



HR-MM-NW-B-PT



HR-MH-NW-B-PT



HR-M-PT

