


Ceiling louver fitting



[V] 220-240 AC	[Hz] 50		IP 20		°C 5+25	
	(mm ²) 1+2.5		0,5m			



NOTUS 3 EVG 418 NT



NOTUS 3 EVG 418 NT	19731	4 x 18	T8	G13	white
NOTUS 3 EVG 236 NT	19732	2 x 36	T8	G13	white
NOTUS 3 EVG 218 NT	19733	2 x 18	T8	G13	white
NOTUS 3WS EVG 418 NT	25711	4 x 18	T8	G13	white
NOTUS 3WS EVG 236 NT	25712	2 x 36	T8	G13	white

Kanlux NOTUS are raster facade luminaires that can be mounted quickly and easily. Raster lighting is still a very popular solution for office and industrial spaces. It is all due to good lighting parameters at a good price, simple construction and durability of the materials of which they are made.

- half-parabolic reflector / V-shaped grille cross-bars
- fluorescent lamp sockets concealed with a reflector
- light fixtures designed for hanging on slings
- Class A2 OSRAM ballast
- easy installation of the grille on spring hooks
- quick coupling for connecting the power supply, easier and quicker installation, powder coating
- NOTUS 3WS equipped with a "warm start" ballast
- Enclosure material: steel
- Reflector material: aluminum alloy

NOTUS


Ceiling louver fitting



NOTUS 3 EVG 418 NT



NOTUS 3 EVG 236 NT




NOTUS 3 EVG 218 NT




NOTUS 3WS EVG 418 NT




NOTUS 3WS EVG 236 NT



NOTUS 3 EVG 418; NOTUS 3WS EVG 418 NT



NOTUS 3 EVG 236; NOTUS 3WS EVG 236 NT



NOTUS 3 EVG 218 NT

NOTUS

Ceiling louver fitting

3WS EVG 418

3WS EVG 236

ACCESSORIES:

07870 ROPE-NT 150

ROPE-NT 150 steel rope (double) for suspending fittings, 2 pcs. in a set



07871 ROPE-NT 150 SINGLE

ROPE-NT 150 SINGLE steel rope (single) for suspending fittings, 2 pcs. in a set

