


NOTUS 4LED

Ceiling louver fitting



 220-240 AC	 50	 ONE SIDE INPUT	 IP 20		 5+25
		 1÷2.5	 0,5m		



NOTUS 4LED 418 NT



NOTUS 4LED 418 NT	22671	4 x max 18	T8 LED	G13	white
NOTUS 4LED 236 NT	22672	2 x max 36	T8 LED	G13	white
NOTUS 4LED 218 NT	22674	2x max 18	T8 LED	G13	white

Kanlux NOTUS 4LED luminaires are façade raster luminaires adapted to T8 LED fluorescent lamps. They are manufactured in Poland of components provided by Polish suppliers. Raster lighting is a solution for office and industrial interiors. Additionally, LED fluorescent lamps contribute to lower energy consumption.

- the fittings are intended for sources T8 LED 220-240 V~; 50/60 Hz with one-sided power supply
- half-parabolic reflector / V-shaped grille cross-bars
- fluorescent lamp sockets concealed with a reflector
- light fixtures designed for hanging on slings
- easy installation of the grille on spring hooks
- powder coating
- Enclosure material: steel
- Reflector material: aluminum alloy

NOTUS 4LED


Ceiling louver fitting




NOTUS 4LED 418 NT




NOTUS 4LED 236 NT



NOTUS 4LED 418 NT



NOTUS 4LED 236 NT



NOTUS 4LED 218 NT

NOTUS 4LED

Ceiling louver fitting

ACCESSORIES:

07870 ROPE-NT 150

ROPE-NT 150 steel rope (double) for suspending fittings, 2 pcs. in a set



07871 ROPE-NT 150 SINGLE

ROPE-NT 150 SINGLE steel rope (single) for suspending fittings, 2 pcs. in a set

