

## KDB

### KDB-series distribution board



KDB-S06T



## KDB

### KDB-series distribution board

						<b>IP</b>
KDB-S06T	<a href="#">23610</a>	white / blue	63	6P	wall mounted	30
KDB-S08T	<a href="#">23611</a>	white / blue	63	8P	wall mounted	30
KDB-S12T	<a href="#">23612</a>	white / blue	63	12P	wall mounted	30
KDB-S18T	<a href="#">23613</a>	white / blue	63	18P	wall mounted	30
KDB-S24T	<a href="#">23614</a>	white / blue	63	2x12P	wall mounted	30
KDB-S36T	<a href="#">23615</a>	white / blue	63	2x18P	wall mounted	30
KDB-F06T	<a href="#">23616</a>	white / blue	63	6P	Recessed mount in the wall	30
KDB-F08T	<a href="#">23617</a>	white / blue	63	8P	Recessed mount in the wall	30
KDB-F12T	<a href="#">23618</a>	white / blue	63	12P	Recessed mount in the wall	30
KDB-F18T	<a href="#">23619</a>	white / blue	63	18P	Recessed mount in the wall	30
KDB-F24T	<a href="#">23620</a>	white / blue	63	2x12P	Recessed mount in the wall	30
KDB-F36T	<a href="#">23621</a>	white / blue	63	2x18P	Recessed mount in the wall	30
KDB-F12P	<a href="#">23622</a>	white	63	12P	Recessed mount in the wall	30
KDB-F24P	<a href="#">23623</a>	white	63	2x12P	Recessed mount in the wall	30
KDB-S12P	<a href="#">23624</a>	white	63	1x12P	wall mounted	30
KDB-S24P	<a href="#">23625</a>	white	63	2x12P	wall mounted	30
KDB-F18P	<a href="#">23626</a>	white	63	18P	Recessed mount in the wall	30
KDB-S18P	<a href="#">23627</a>	white	63	1x18P	wall mounted	30
KDB-F36P	<a href="#">23628</a>	white	63	2x18P	Recessed mount in the wall	30
KDB-S36P	<a href="#">23629</a>	white	63	2x18P	wall mounted	30
KDB-S24PM	<a href="#">24178</a>	white	63	-	wall mounted	30
KDB-F24PM	<a href="#">24184</a>	white	63	-	Recessed mount in the wall	30
KDB-F36PM	<a href="#">24185</a>	white	63	-	Recessed mount in the wall	30
KDB-S36PM	<a href="#">24186</a>	white	63	-	wall mounted	30
KDB-F54P	<a href="#">28340</a>	white	63	3x18P	Recessed mount in the wall	30
KDB-F54P-M	<a href="#">28341</a>	white	63	18P	Recessed mount in the wall	30

KDB series switchboards meeting the requirement for heat resistance at the temperature of 650°C, can be used on non-flammable surfaces only (e.g. full solid walls made of non-combustible materials). They cannot be used on flammable surfaces (e.g. plasterboard, wood boards, etc.), on the so-called “hollow walls” or on technical sections

## KDB

### KDB-series distribution board



KDB-S06T



KDB-S08T



KDB-S12T



KDB-S18T



KDB-S24T



KDB-S36T



KDB-F06T



KDB-F08T



KDB-F12T



KDB-F18T



KDB-F24T



KDB-F36T

## KDB

### KDB-series distribution board



KDB-F12P



KDB-F24P



KDB-S12P



KDB-S24P



KDB-F18P



KDB-S18P



KDB-F36P



KDB-S36P



KDB-S24PM



KDB-F24PM



KDB-F36PM



KDB-S36PM

## KDB


### KDB-series distribution board




KDB-F54P




KDB-F54P-M




KDB-S06T




KDB-S08T




KDB-S12T




KDB-S18T




KDB-S24T



KDB-S36T




KDB-F06T




KDB-F08T

## KDB


### KDB-series distribution board




KDB-F12T




KDB-F18T




KDB-F24T




KDB-F36T




KDB-F12P




KDB-F24P




KDB-S12P




KDB-S24P




KDB-F18P



KDB-S18P




KDB-F36P




KDB-S36P

## KDB


### KDB-series distribution board




KDB-S24PM




KDB-F24PM




KDB-F36PM



KDB-S36PM



KDB-F54P



KDB-F54P-M