



## ALIN 4LED 1240mm

T8 LED tube linear fittings



<b>[V]</b> 220-240 AC	<b>[Hz]</b> 50	<b>[W]</b> max 36	<b>G13</b>	<b>IP</b> 20	
<b>[°C]</b> 5÷25			<b>[mm<sup>2</sup>]</b> 1.5+2.5	<b>L N</b> ONE SIDE INPUT	 <b>0,5m</b>
<b>CE</b>	<b>EAC</b>	<b>PZH</b>	<b>UK</b> <b>CA</b>		

### ALIN 4LED 1X120-W

ALIN 4LED 1X120-W	<b>27413</b>	matt	white	T8 LED	1240
ALIN 4LED 1X120-SR	<b>27415</b>	matt	silver	T8 LED	1240
ALIN 4LED 1X120-B	<b>27414</b>	matt	black	T8 LED	1240
AL 4LED 120-MPR-W	<b>28449</b>	microprismatic	white	T8 LED	1240
AL 4LED 120-MPR-SR	<b>28451</b>	microprismatic	silver	T8 LED	1240
AL 4LED 120-MPR-B	<b>28450</b>	microprismatic	black	T8 LED	1240

- Enclosure material: aluminum alloy
- Lampshade material: plastic

## ALIN 4LED 1240mm

T8 LED tube linear fittings



ALIN 4LED 1X120-W



ALIN 4LED 1X120-SR



ALIN 4LED 1X120-B



AL 4LED 120-MPR-W




AL 4LED 120-MPR-SR




AL 4LED 120-MPR-B

## ALIN 4LED 1240mm


### T8 LED tube linear fittings




ALIN 4LED 1X120-W




ALIN 4LED 1X120-SR




ALIN 4LED 1X120-B



AL 4LED 120-MPR-W



AL 4LED 120-MPR-SR



AL 4LED 120-MPR-B