

Kanlux BRAVO S/SU panels are specially selected components for even greater satisfaction with their use. Aluminium framework, specially selected LED diodes, reflector and diffuser distracting light are just some of the assets of Kanlux BRAVO LED S/SU panels. High luminous efficacy (100lm/W) is another asset of these panels. Kanlux BRAVO LED panels do not have any power supply included.


- 5 years Warranty under the terms of the warranty statement, available on our website
- The correct LED power supply available in the KANLUX range is required for proper operation
- LED panel without power supply included
- Panel/frame material: aluminum alloy












In [mA]






BRAVO S 40W6060NW W

BRAVO S 40W12030NW W





BRAVO S 40W6060NW W

BRAVO S 40W12030NW W

## Accessories

28502

CLIPS BRAVO S/P 60-62

Mounting support, used for building in BRAVO 6060/6262 fittings in a plasterboard suspended ceiling, 4 pcs. in a set (28502)

28503

CLIPS BRAVO S/P 12030

Mounting support, used for building in BRAVO 12030 fittings in a plasterboard suspended ceiling, 6 pcs. in a set (28503)

28501

BRAVO S/P GRIP 12030

NT mounting holder 6 pcs. in a set (28501)



28026

**BRAVO DRIVER 40W** 

LED power supply unit dedicated to BRAVO S / SU panels with power of 40W (28026)



25591

**PSR 100** 

Safety rope (25591)



Date of issue: 02.09.2025, 14:50

We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

