

LAURIN

Wall & ceiling lighting fitting



MO
DE
RN
design

[V] 220-240 AC	[Hz] 50	PAR16	GU10		IP 20	
[°C] 5 ÷ 25		[°] 310	[°] 90		[mm] 1 ÷ 2.5	0,5m



LAURIN EL-10 B



LAURIN EL-10 W	29120	max 35	white
LAURIN EL-10 B	29121	max 35	black
LAURIN EL-2I W	29122	2 x max 35	white
LAURIN EL-2I B	29123	2 x max 35	black
LAURIN EL-3I W	29124	3 x max 35	white
LAURIN EL-3I B	29125	3 x max 35	black
LAURIN EL-30 W	29126	3 x max 35	white
LAURIN EL-30 B	29127	3 x max 35	black
LAURIN EL-40 W	29128	4 x max 35	white
LAURIN EL-40 B	29129	4 x max 35	black

Kanlux LAURIN spotlights provide a very large selection of directional ceiling and wall lamps. The simple and minimalist design can be successfully used in many rooms in the house. Free adjustment of the luminous flux direction is an additional advantage of these fixtures.

- Enclosure material: aluminum alloy

LAURIN

Wall & ceiling lighting fitting



LAURIN EL-10 W



LAURIN EL-21 W



LAURIN EL-21 B



LAURIN EL-31 W



LAURIN EL-31 B



LAURIN EL-30 W



LAURIN EL-30 B




LAURIN EL-40 W

LAURIN


Wall & ceiling lighting fitting




LAURIN EL-40 B




LAURIN EL-10




LAURIN EL-21



LAURIN EL-31



LAURIN EL-30



LAURIN EL-40