


ALIN LED 33W 1133mm NT

Linear LED luminaire



[V] 220-240 AC	[Hz] 50	[h] ≥30000	[h] 50000	ellipse ≤ 6x MacAdam	Ra 80	SMD
DALI		IP 20		°C 5+25		
[mm] 0.5+2.5		m 0,5m				



ALD 33W-830-MAT-B-NT

		[W]	Tc [K]	TYPE	[°]		[lm]	[mm]
ALD 33W-830-MAT-B-NT	29472	33	3000	matt	X85/Y95	black	2920	1133
ALD 33W-830-MAT-SR-NT	29478	33	3000	matt	X85/Y95	silver	2920	1133
ALD 33W-830-MAT-W-NT	29466	33	3000	matt	X85/Y95	white	2920	1133
ALD 33W-830-MPR-B-NT	29474	33	3000	microprismatic	X75/Y90	black	2680	1133
ALD 33W-830-MPR-SR-NT	29480	33	3000	microprismatic	X75/Y90	silver	2680	1133
ALD 33W-830-MPR-W-NT	29468	33	3000	microprismatic	X75/Y90	white	2680	1133
ALD 33W-830-RST-B-NT	29476	33	3000	louvre	X85/Y85	black	2680	1133
ALD 33W-830-RST-SR-NT	29482	33	3000	louvre	X85/Y85	silver	2680	1133
ALD 33W-830-RST-W-NT	29470	33	3000	louvre	X85/Y85	white	2680	1133
ALD 33W-840-MAT-B-NT	29473	33	4000	matt	X85/Y95	black	3070	1133
ALD 33W-840-MAT-SR-NT	29479	33	4000	matt	X85/Y95	silver	3070	1133
ALD 33W-840-MAT-W-NT	29467	33	4000	matt	X85/Y95	white	3070	1133
ALD 33W-840-MPR-B-NT	29475	33	4000	microprismatic	X75/Y90	black	2830	1133
ALD 33W-840-MPR-SR-NT	29481	33	4000	microprismatic	X75/Y90	silver	2830	1133
ALD 33W-840-MPR-W-NT	29469	33	4000	microprismatic	X75/Y90	white	2830	1133
ALD 33W-840-RST-B-NT	29477	33	4000	louvre	X85/Y85	black	2830	1133
ALD 33W-840-RST-SR-NT	29483	33	4000	louvre	X85/Y85	silver	2830	1133
ALD 33W-840-RST-W-NT	29471	33	4000	louvre	X85/Y85	white	2830	1133

- 5 years Warranty under the terms of the warranty statement, available on our website

ALIN LED 33W 1133mm NT

Linear LED luminaire

- Enclosure material: aluminum alloy
- Lampshade material: plastic



ALD 33W-830-MAT-B-NT



ALD 33W-830-MAT-SR-NT



ALD 33W-830-MAT-W-NT



ALD 33W-830-MPR-B-NT



ALD 33W-830-MPR-SR-NT



ALD 33W-830-MPR-W-NT



ALD 33W-830-RST-B-NT



ALD 33W-830-RST-SR-NT



ALD 33W-830-RST-W-NT



ALD 33W-840-MAT-B-NT



ALD 33W-840-MAT-SR-NT



ALD 33W-840-MAT-W-NT



ALD 33W-840-MPR-B-NT



ALD 33W-840-MPR-SR-NT



ALD 33W-840-MPR-W-NT



ALD 33W-840-RST-B-NT

ALIN LED 33W 1133mm NT


Linear LED luminaire




ALD 33W-840-RST-SR-NT




ALD 33W-840-RST-W-NT



ALD 33W-830



ALD 33W-840



ACCESSORIES:

32543 ALIN CORD DALI 1F-W



Power supply terminal for ALIN luminaires and tracks, 1-phase, DALI, white, 150 cm

32544 ALIN CORD DALI 1F-B



Power supply terminal for ALIN luminaires and tracks, 1-phase, DALI, black, 150 cm

ALIN LED 33W 1133mm NT

Linear LED luminaire

32545 ALIN CORD DALI 1F-SR

Power supply terminal for ALIN luminaires and tracks, 1-phase, DALI, silver, 150 cm



07871 ROPE-NT 150 SINGLE

ROPE-NT 150 SINGLE steel rope (single) for suspending fittings, 2 pcs. in a set



29557 ALIN NT GRIP

Wall bracket for the ALIN luminaire, 2 pcs included



25979 KLOSZ MPR AL 23W/33W

MPR shade for fitting ALIN, MPR SHADE AL 23W/33W,(25979)

