

AREL LED

Downlight fitting

















AREL LED D 20W

				-\(\)- [lm]		Tc [K]
AREL LED DO 6W-NW	29580	6	white	450	120	4000
AREL LED DO 6W-WW	29581	6	white	440	120	3000
AREL LED DL 6W-NW	29582	6	white	490	120	4000
AREL LED DL 6W-WW	29583	6	white	450	120	3000
AREL LED DO 10W-NW	29584	10	white	940	120	4000
AREL LED DO 10W-WW	29585	10	white	890	120	3000
AREL LED DL 10W-NW	29586	10	white	1000	120	4000
AREL LED DL 10W-WW	29587	10	white	910	120	3000
AREL LED DO 14W-NW	29588	14	white	1300	120	4000
AREL LED DO 14W-WW	29589	14	white	1210	120	3000
AREL LED DL 14W-NW	29590	14	white	1300	120	4000
AREL LED DL 14W-WW	29591	14	white	1300	120	3000
AREL LED DO 20W-NW	29592	20	white	1710	120	4000
AREL LED DO 20W-WW	29593	20	white	1450	120	3000
AREL LED DL 20W-NW	29594	20	white	1710	120	4000
AREL LED DL 20W-WW	29595	20	white	1450	120	3000
AREL LED DO 25W-NW	29596	25	white	2200	120	4000
AREL LED DO 25W-WW	29597	25	white	2260	120	3000
AREL LED DL 25W-NW	29598	25	white	2200	120	4000
AREL LED DL 25W-WW	29599	25	white	2260	120	3000




AREL LED

Downlight fitting

Kanlux AREL LED is a new family of downlights which do not have frame. High tightness class IP65/20 and exceptional, simple, and at the same time surprising design make Kanlux AREL LED fit into each interior. Thanks to the unique structure, the panel is only 9 mm thick - it is the thinnest panel available on the market.

• Enclosure material: aluminum alloy

• Lampshade material: PMMA









AREL LED


Downlight fitting









AREL LED DL 25W




AREL LED DO 6W




AREL LED DL 6W




AREL LED DO 10W




AREL LED DL 10W




AREL LED DO 14W




AREL LED DL 14W




AREL LED DO 20W



AREL LED DL 20W



AREL LED DO 25W



AREL LED DL 25W