


LED STRIP L60

LED tape



L60 11W/M 12 IP00-WW



IP



					IP		
L60 11W/M 12 IP00-WW	33302	0,5m = 5,5	0,5m = 450	3000	00	5000	≤3 G
L60 11W/M 12 IP00-NW	33303	0,5m = 5,5	0,5m = 450	4000	00	5000	≤3 G
L60 11W/M 12 IP00-CW	33304	0,5m = 5,5	0,5m = 450	6000	00	5000	≤3 G
L60B 11W/M 12 IP00-WW	33305	0,5m = 5,5	0,5m = 450	3000	00	30000	≤3 G
L60B 11W/M 12 IP00-NW	33306	0,5m = 5,5	0,5m = 450	4000	00	30000	≤3 G
L60B 11W/M 12 IP00-CW	33307	0,5m = 5,5	0,5m = 450	6000	00	30000	≤3 G
L60 11W/M 12 IP65-WW	33308	0,5m = 5,5	0,5m = 450	3000	65	5000	≤6 G
L60 11W/M 12 IP65-NW	33309	0,5m = 5,5	0,5m = 450	4000	65	5000	≤6 G
L60 11W/M 12 IP65-CW	33310	0,5m = 5,5	0,5m = 450	6000	65	5000	≤6 G

Kanlux L60 LED strip that's two IP rates, IP00 and IP65 - for places where the tape is exposed to moisture. IP65 version, does not differ significantly in size from the IP00 version - this is important when mounting in aluminum profiles. Kanlux L60 tapes very high color rendering factor CRI 90 and up to 3 Years warranty. In addition, the Kanlux L60B version is a 30-meter long roll for those who need longer LED strips.

- 3 years Warranty under the terms of the warranty statement, available on our website

LED STRIP L60

LED tape



L60 11W/M 12 IP00-WW



L60 11W/M 12 IP00-NW



L60 11W/M 12 IP00-CW



L60B 11W/M 12 IP00-WW



L60B 11W/M 12 IP00-NW



L60B 11W/M 12 IP00-CW



L60 11W/M 12 IP65-WW




L60 11W/M 12 IP65-NW




L60 11W/M 12 IP65-CW

LED STRIP L60


LED tape



L60 11W/M 12 IP00



L60B 11W/M 12 IP00



L60 11W/M 12 IP65