

FD

## Staircase LED light fitting





IP

20

CE

(II)

**∦**∯ 5÷25

## ERINUS LED L W

		[V]			-☆- [lm]	Tc [K]
ERINUS LED L W-WW	33320	12 DC	0.8	white	15	3000
ERINUS LED L W-NW	33321	12 DC	0.8	white	15	4000
ERINUS LED O W-WW	33322	12 DC	0.8	white	15	3000
ERINUS LED O W-NW	33323	12 DC	0.8	white	15	4000
ERINUS LED LL W-WW	33324	12 DC	1.5	white	30	3000
ERINUS LED LL W-NW	33325	12 DC	1.5	white	30	4000
ERINUS LED L GR-WW	33326	12 DC	0.8	grey	15	3000
ERINUS LED L GR-NW	33327	12 DC	0.8	grey	15	4000
ERINUS LED O GR-WW	33328	12 DC	0.8	grey	15	3000
ERINUS LED O GR-NW	33329	12 DC	0.8	grey	15	4000
ERINUS LED LL GR-WW	33330	12 DC	1.5	grey	30	3000
ERINUS LED LL GR-NW	33331	12 DC	1.5	grey	30	4000
ERINUS LED L B-WW	33332	12 DC	0.8	black	15	3000
ERINUS LED L B-NW	33333	12 DC	0.8	black	15	4000
ERINUS LED O B-WW	33334	12 DC	0.8	black	15	3000
ERINUS LED O B-NW	33335	12 DC	0.8	black	15	4000
ERINUS LED LL B-WW	33336	12 DC	1.5	black	30	3000
ERINUS LED LL B-NW	33337	12 DC	1.5	black	30	4000

Kanlux ERINUS is a unique series of premium stairwaf fittings made of plastic. These luminaires are characterized by



## Staircase LED light fitting

exceptional lightness due to the materials from which they were made, and at the same time they are made with great precision and attention to detail. Kanlux ERINUS are very thin, so they flush with the wall line and make it a discreet decoration. We have three colors to choose (white, black and gray), two colors of light (warm and neutral light) and three different models of luminaires. The Kanlux ERINUS L is a square luminaire glowing in one direction, the LL model shines in both directions, and the Kanlux ERINUS O is a round luminaire glowing in one direction.

- Enclosure material: plastic
- Lampshade material: plastic










## Staircase LED light fitting





ERINUS LED O B




ERINUS LED L



ERINUS LED LL B

ERINUS LED O



ERINUS LED LL