

AL-LH-PT

Linear LED luminaire



[V] 220-240 AC	[Hz] 50	≥30000	[h] 50000	ellipse ≤3x MacAdam	Ra 80	SMD
		IP 20		[°C] 5÷25		
[mm²] 1.5÷2.5		0,5m				



AL-LH-NW-MAT-W-PT

	[W]	Tc [K]		[°]		[lm]	[mm]
AL-LH-NW-MAT-W-PT	34117	52	4000	matt	X85/Y95	white	6300 1710
AL-LH-WW-MAT-W-PT	34119	52	3000	matt	X85/Y95	white	5600 1710
AL-LH-NW-MPR-W-PT	34121	52	4000	microprismatic	X75/Y90	white	5800 1710
AL-LH-WW-MPR-W-PT	34123	52	3000	microprismatic	X75/Y90	white	5150 1710
AL-LH-NW-MAT-B-PT	34129	52	4000	matt	X85/Y95	black	6300 1710
AL-LH-WW-MAT-B-PT	34131	52	3000	matt	X85/Y95	black	5600 1710
AL-LH-NW-MPR-B-PT	34133	52	4000	microprismatic	X75/Y90	black	5800 1710
AL-LH-WW-MPR-B-PT	34135	52	3000	microprismatic	X75/Y90	black	5150 1710
AL-LH-NW-MAT-S-PT	34141	52	4000	matt	X85/Y95	silver	6300 1710
AL-LH-WW-MAT-S-PT	34143	52	3000	matt	X85/Y95	silver	5600 1710
AL-LH-NW-MPR-S-PT	34145	52	4000	microprismatic	X75/Y90	silver	5800 1710
AL-LH-WW-MPR-S-PT	34147	52	3000	microprismatic	X75/Y90	silver	5150 1710

- 5 years Warranty under the terms of the warranty statement, available on our website
- Enclosure material: steel
- Lampshade material: plastic

AL-LH-PT

Linear LED luminaire



AL-LH-NW-MAT-W-PT



AL-LH-WW-MAT-W-PT



AL-LH-NW-MPR-W-PT



AL-LH-WW-MPR-W-PT



AL-LH-NW-MAT-B-PT



AL-LH-WW-MAT-B-PT



AL-LH-NW-MPR-B-PT



AL-LH-WW-MPR-B-PT

AL-LH-PT

Linear LED luminaire



AL-LH-NW-MAT-S-PT




AL-LH-WW-MAT-S-PT




AL-LH-NW-MPR-S-PT




AL-LH-WW-MPR-S-PT




AL-LH-NW-MAT-W-PT




AL-LH-WW-MAT-W-PT




AL-LH-NW-MPR-W-PT




AL-LH-WW-MPR-W-PT




AL-LH-NW-MAT-B-PT




AL-LH-WW-MAT-B-PT




AL-LH-NW-MPR-B-PT




AL-LH-WW-MPR-B-PT




AL-LH-NW-MAT-S-PT



AL-LH-WW-MAT-S-PT



AL-LH-NW-MPR-S-PT



AL-LH-WW-MPR-S-PT