

## ALD-SH-PT

Linear LED luminaire



[V] 220-240 AC	[Hz] 50	≥30000	[h] 50000	ellipse ≤3x MacAdam	Ra 80	SMD
DALI		IP 20		[°C] 5÷25		
[mm] 0.5÷2.5		0,5m	CE	EAC	UK CA	



### ALD-SH-NW-MAT-W-PT

	[W]	Tc [K]		[°]		[m]	[mm]
ALD-SH-NW-MAT-W-PT	<b>34189</b>	19	4000	matt	X85/Y95	white	2550 590
ALD-SH-WW-MAT-W-PT	<b>34191</b>	19	3000	matt	X85/Y95	white	2250 590
ALD-SH-NW-MPR-W-PT	<b>34193</b>	19	4000	microprismatic	X75/Y90	white	2350 590
ALD-SH-WW-MPR-W-PT	<b>34195</b>	19	3000	microprismatic	X75/Y90	white	2050 590
ALD-SH-NW-MAT-B-PT	<b>34201</b>	19	4000	matt	X85/Y95	white	2550 590
ALD-SH-WW-MAT-B-PT	<b>34203</b>	19	3000	matt	X85/Y95	black	2250 590
ALD-SH-NW-MPR-B-PT	<b>34205</b>	19	4000	microprismatic	X75/Y90	black	2350 590
ALD-SH-WW-MPR-B-PT	<b>34207</b>	19	3000	microprismatic	X75/Y90	black	2050 590
ALD-SH-NW-MAT-S-PT	<b>34213</b>	19	4000	matt	X85/Y95	silver	2550 590
ALD-SH-WW-MAT-S-PT	<b>34215</b>	19	3000	matt	X85/Y95	silver	2250 590
ALD-SH-NW-MPR-S-PT	<b>34217</b>	19	4000	microprismatic	X75/Y90	silver	2350 590
ALD-SH-WW-MPR-S-PT	<b>34219</b>	19	3000	microprismatic	X75/Y90	silver	2050 590

- 5 years Warranty under the terms of the warranty statement, available on our website
- Enclosure material: steel
- Lampshade material: plastic

## ALD-SH-PT

Linear LED luminaire



ALD-SH-NW-MAT-W-PT



ALD-SH-WW-MAT-W-PT



ALD-SH-NW-MPR-W-PT



ALD-SH-WW-MPR-W-PT



ALD-SH-NW-MAT-B-PT



ALD-SH-WW-MAT-B-PT



ALD-SH-NW-MPR-B-PT



ALD-SH-WW-MPR-B-PT



ALD-SH-NW-MAT-S-PT




ALD-SH-WW-MAT-S-PT




ALD-SH-NW-MPR-S-PT




ALD-SH-WW-MPR-S-PT




ALD-SH-NW-MAT-W-PT



ALD-SH-WW-MAT-W-PT




ALD-SH-NW-MPR-W-PT




ALD-SH-WW-MPR-W-PT

## ALD-SH-PT


Linear LED luminaire




ALD-SH-NW-MAT-B-PT




ALD-SH-WW-MAT-B-PT




ALD-SH-NW-MPR-B-PT




ALD-SH-WW-MPR-B-PT




ALD-SH-NW-MAT-S-PT



ALD-SH-WW-MAT-S-PT



ALD-SH-NW-MPR-S-PT



ALD-SH-WW-MPR-S-PT