

Kanlux




Kanlux STRETON LED

Kanlux STRETON LED are outdoor luminaires designed to illuminate parking lots or larger areas that must be well lit also after dark. Their durability (50,000 hours), tightness (IP66) and high power (up to 200W) make Kanlux STRETON LED a perfect complement to an investment in urban space, in parking lots, in sports facilities or squares.

- 5 years Warranty under the terms of the warranty statement, available on our website
- Protective glass material: PC



[V] 220-240 AC	[Hz] 50	 360° Φuse	 ≥20000	 50000	 ≤ 6x MacAdam	 Ra 70
 SMD	 No flame	 Grounding	IP 66	 House	 -20÷45	 Arrow
IK 08	 Cable	 0.4	 1	 1m	 Hg	CE
ERC	UK CA					




STRETON LED 20W NW




STRETON LED 20W NW	36228	20	2800	4000	X140/Y90	grey	D
STRETON LED 40W NW	36229	40	5600	4000	X140/Y90	grey	D
STRETON LED 60W NW	36230	60	8400	4000	X140/Y90	grey	D
STRETON LED 100W NW	36231	100	14000	4000	X140/Y90	grey	D
STRETON LED 150W NW	36232	150	19500	4000	X140/Y90	grey	E
STRETON LED 200W NW	36233	200	26000	4000	X140/Y90	grey	E



STRETON LED 20W NW



STRETON LED 40W NW



STRETON LED 60W NW




STRETON LED 100W NW




STRETON LED 150W NW




STRETON LED 200W NW




STRETON LED 20W NW




STRETON LED 40W NW




STRETON LED 60W NW



STRETON LED 100W NW




STRETON LED 150W NW




STRETON LED 200W NW

OPTION 1



OPTION 2



STRETON 20W: Ø42-48

STRETON 40W/60W/100W/150W/200W: Ø50-62

Date of issue: 17.10.2024, 09:45

We reserve the right to make technical changes. The data contained in this material are not legally binding.
Photometry: the results obtained from testing were from a specific sample.