

TAVO LED

Downlight fitting






IP
44/20

 [V] 220-240 AC	 [Hz] 50	 ≥15000	 [h] 25000	 ellipse ≤ 6x Mackdam	 Ra 80	 SMD
		IP 44/20		 [°C] 5÷25		
 [mm] 0.1	 0,5m	 CE	 EAC	 UK CA		



TAVO LED DO 5W-NW




	 [W]		 [lm]	 [°]	 T _c [K]	
TAVO LED DO 5W-NW	36510	5	white	400	120	4000
TAVO LED DO 9W-NW	36511	9	white	900	120	4000
TAVO LED DO 12W-NW	36512	12	white	1250	120	4000
TAVO LED DO 18W-NW	36513	18	white	1900	120	4000
TAVO LED DO 24W-NW	36514	24	white	2600	120	4000
TAVO LED DL 5W-NW	36515	5	white	400	120	4000
TAVO LED DL 9W-NW	36516	9	white	900	120	4000
TAVO LED DL 12W-NW	36517	12	white	1250	120	4000
TAVO LED DL 18W-NW	36518	18	white	1900	120	4000
TAVO LED DL 24W-NW	36519	24	white	2600	120	4000

Kanlux TAVO LED is a family of flush-mounted downlights. They are available in two shapes (round and square) and 5 wattages - from 5W to 24W. Kanlux TAVO LED downlights are characterised by a minimalist, Scandinavian design. Additional advantages are their IP44/20 tightness, as well as the possibility of surface mounting the 12W and 18W models in the Kanlux TAVO FRAME.


- Enclosure material: plastic
- Lampshade material: plastic

TAVO LED


Downlight fitting



TAVO LED DO 5W-NW



TAVO LED DO 9W-NW




TAVO LED DO 12W-NW




TAVO LED DO 18W-NW



TAVO LED DO 24W-NW



TAVO LED DL 5W-NW



TAVO LED DL 9W-NW



TAVO LED DL 12W-NW




TAVO LED DL 18W-NW




TAVO LED DL 24W-NW

TAVO LED


Downlight fitting




TAVO LED DO 5W-NW




TAVO LED DO 9W-NW




TAVO LED DO 12W-NW




TAVO LED DO 18W-NW




TAVO LED DO 24W-NW




TAVO LED DL 5W-NW




TAVO LED DL 9W-NW



TAVO LED DL 12W-NW



TAVO LED DL 18W-NW



TAVO LED DL 24W-NW

TAVO LED


Downlight fitting

Accessories

36520 TAVO FRAME DO 12W Ramka do montażu natynkowego downlightów Kanlux TAVO LED.



36521 TAVO FRAME DO 18W Ramka do montażu natynkowego downlightów Kanlux TAVO LED.



36522 TAVO FRAME DL 12W Ramka do montażu natynkowego downlightów Kanlux TAVO LED.



36523 TAVO FRAME DL 18W Ramka do montażu natynkowego downlightów Kanlux TAVO LED.

