

AQILO IP65

Ceiling-mounted spotlight fitting

**IP
65**

[V] 220-240 AC	[Hz] 50		IP 65		 -20÷35	
	 0,5m		CE	EAC	UK CA	



AQILO IP65 DSO-W



AQILO IP65 DSO-W	33360	max 7	white
AQILO IP65 DSO-B	33361	max 7	black
AQILO IP65 DSO-GR	33362	max 7	graphite
AQILO E14 IP65 DSO-GR	36640	max 10	graphite
AQILO E14 IP65 DSO-W	36641	max 10	white
AQILO E14 IP65 DSO-B	36642	max 10	black
AQILO E27 IP65 DSO-GR	36643	max 20	graphite
AQILO E27 IP65 DSO-W	36644	max 20	white
AQILO E27 IP65 DSO-B	36645	max 20	black

KANLUX AQILO represents our first surface-mounted luminaire with an IP65 rating. It is characterised by simple design and available in three colours: white, black and graphite. The high tightness is intended for rooms where lamps are exposed to increased humidity and the risk of flooding with water, e.g. bathrooms and kitchens as well as external areas of the house, such as terraces, balconies or covered entrances. Choose your own light source to match the Kanlux AQILO lamps.

- Enclosure material: aluminum alloy
- Lampshade material: plastic

AQILO IP65

Ceiling-mounted spotlight fitting



AQILO IP65 DSO-W



AQILO IP65 DSO-B



AQILO IP65 DSO-GR



AQILO E14 IP65 DSO-GR



AQILO E14 IP65 DSO-W



AQILO E14 IP65 DSO-B



AQILO E27 IP65 DSO-GR



AQILO E27 IP65 DSO-W




AQILO E27 IP65 DSO-B

Date of issue: 21.06.2023, 16:40


We reserve the right to make technical changes. The data contained in this material are not legally binding.

AQILO IP65


Ceiling-mounted spotlight fitting



AQILO IP65 DSO



AQILO E14 IP65 DSO



AQILO E27 IP65 DSO