

## AKVO IP44 S

LED wall mounted fitting

IP  
44



[V] 220-240 AC	[Hz] 50	 15000	 25000 <sup>[h]</sup>	 Ra 80	 SMD	
	IP 44	 5+30 <sup>[°C]</sup>			 0.75-1.5 <sup>[mm<sup>2</sup>]</sup>	 0,1m
	CE	EAC	UK CA			



	[W]		[lm]	T <sub>c</sub> [K]
AKVO IP44 15W-NW-W S <b>36650</b>	15	white	1600	4000
AKVO IP44 15W-NW-B S <b>36651</b>	15	black	1600	4000
AKVO IP44 15W-NW-C S <b>36652</b>	15	chrome	1600	4000
AKVO IP44 20W-NW-W S <b>36653</b>	20	white	2300	4000
AKVO IP44 20W-NW-B S <b>36654</b>	20	black	2300	4000
AKVO IP44 20W-NW-C S <b>36655</b>	20	chrome	2300	4000
AKVO IP44 23W-NW-W S <b>36656</b>	23	white	2750	4000
AKVO IP44 23W-NW-B S <b>36657</b>	23	black	2750	4000
AKVO IP44 23W-NW-C S <b>36658</b>	23	chrome	2750	4000

- Enclosure material: aluminum alloy
- Lampshade material: plastic

## AKVO IP44 S

LED wall mounted fitting



AKVO IP44 15W-NW-W S



AKVO IP44 15W-NW-B S



AKVO IP44 15W-NW-C S



AKVO IP44 20W-NW-W S



AKVO IP44 20W-NW-B S



AKVO IP44 20W-NW-C S



AKVO IP44 23W-NW-W S



AKVO IP44 23W-NW-B S



AKVO IP44 23W-NW-C S

Date of issue: 02.08.2023, 16:11

We reserve the right to make technical changes. The data contained in this material are not legally binding.

