

HIERRO

Linear LED luminaire










| | | | | | | |
|-----------------------------------|----------------|------------------|------------------|---|--------------|---------|
| [V] 220-240 AC | [Hz] 50 | ≥ 30000 | [h] 50000 | + ellipse $\leq 6^\circ$ MacAdam | Ra 80 | SMD |
| | | IP 20 | | [°C] 5÷25 | | |
| [mm ²] 1.5÷2.5 | | 0,5m | | | | |



HR-ML-WW-W-PT

HIERRO

Linear LED luminaire

| | |  |  |  |  |  |  |  |
|---------------|--------------|---|---|---|---|---|---|---|
| HR-ML-WW-W-PT | 37026 | 18 | 3000 | louvre / white | X60/Y60 | white | 2350 | 595 |
| HR-MM-WW-W-PT | 37027 | 23 | 3000 | louvre / white | X60/Y60 | white | 2850 | 595 |
| HR-MH-WW-W-PT | 37028 | 28 | 3000 | louvre / white | X60/Y60 | white | 3300 | 595 |
| HR-ML-WW-B-PT | 37034 | 18 | 3000 | louvre / black | X60/Y60 | black | 2100 | 595 |
| HR-MM-WW-B-PT | 37035 | 23 | 3000 | louvre / black | X60/Y60 | black | 2500 | 595 |
| HR-MH-WW-B-PT | 37036 | 28 | 3000 | louvre / black | X60/Y60 | black | 2900 | 595 |
| HR-ML-WN-W-PT | 37042 | 18 | 3500 | louvre / white | X60/Y60 | white | 2400 | 595 |
| HR-MM-WN-W-PT | 37043 | 23 | 3500 | louvre / white | X60/Y60 | white | 2900 | 595 |
| HR-MH-WN-W-PT | 37044 | 28 | 3500 | louvre / white | X60/Y60 | white | 3350 | 595 |
| HR-ML-WN-B-PT | 37050 | 18 | 3500 | louvre / black | X60/Y60 | black | 2150 | 595 |
| HR-MM-WN-B-PT | 37051 | 23 | 3500 | louvre / black | X60/Y60 | black | 2600 | 595 |
| HR-MH-WN-B-PT | 37052 | 28 | 3500 | louvre / black | X60/Y60 | black | 3000 | 595 |
| HR-ML-NW-W-PT | 37058 | 18 | 4000 | louvre / white | X60/Y60 | white | 2450 | 595 |
| HR-MM-NW-W-PT | 37059 | 23 | 4000 | louvre / white | X60/Y60 | white | 3000 | 595 |
| HR-MH-NW-W-PT | 37060 | 28 | 4000 | louvre / white | X60/Y60 | white | 3450 | 595 |
| HR-ML-NW-B-PT | 37066 | 18 | 4000 | louvre / black | X60/Y60 | black | 2200 | 595 |
| HR-MM-NW-B-PT | 37067 | 23 | 4000 | louvre / black | X60/Y60 | black | 2650 | 595 |
| HR-MH-NW-B-PT | 37068 | 28 | 4000 | louvre / black | X60/Y60 | black | 3050 | 595 |

HIERRO is a family of fixtures produced at the Kanlux Factory. The minimalist and elegant form fits into the latest trends in architectural design. The stylish solution is widely used in modern offices, shops, and loft spaces as basic, complementary or accent lighting. The great advantages of HIERRO luminaires are: variety of available control and installation methods, low UGR coefficient, high luminous efficiency, ability to adapt to specific lighting projects and 5-year warranty. This allows you to create energy-saving and modern lighting systems that provide attractive lighting effects.

- Enclosure material: steel, plastic
- Lampshade material: plastic



HIERRO

Linear LED luminaire



HR-ML-WW-W-PT



HR-MM-WW-W-PT



HR-MH-WW-W-PT



HR-ML-WW-B-PT



HR-MM-WW-B-PT



HR-MH-WW-B-PT



HR-ML-WN-W-PT



HR-MM-WN-W-PT



HR-MH-WN-W-PT



HR-ML-WN-B-PT



HR-MM-WN-B-PT



HR-MH-WN-B-PT



HR-ML-NW-W-PT



HR-MM-NW-W-PT



HR-MH-NW-W-PT



HR-ML-NW-B-PT

HIERRO


Linear LED luminaire



HR-MM-NW-B-PT



HR-MH-NW-B-PT



HR-M-PT

