

Kanlux



Kanlux BLINGO DRV

Power supplies from the BLINGO DRV range are devices primarily dedicated to Kanlux BLINGO UHRA and Kanlux BLINGO UIP panels. The range includes units providing simple on/off control, ideal for basic lighting installations, as well as versions compatible with dimmers, allowing the lighting level to be adjusted to suit changing room conditions or user preferences. A DALI-compliant power supply is also available, enabling precise dimming via a retractive (bell) switch without the need for additional control devices. In addition, the power supplies are compatible with Kanlux AVAR lighting frames.

 220-240 AC	 50	 CC	 220-240	 IP 20		



BLINGO DRVM24W ON-OFF



SEC [mA]



BLINGO DRVM24W ON-OFF	37262	24	600	no
BLINGO DRVM34W ON-OFF	37263	34	850	no
BLINGO DRVM42W ON-OFF	37264	42	1050	no
BLINGO DRV42W DALI BK	37267	42	450-1100	DALI
BLINGO DRV40W1-10V BK	37268	40	600-1050	1-10V
BLINGO DRV 32W ON-OFF	37269	32	850	no
BLINGO DRV 40W ON-OFF	37270	44	1100	no



BLINGO DRVM24W ON-OFF



BLINGO DRVM34W ON-OFF



BLINGO DRVM42W ON-OFF



BLINGO DRV42W DALI BK



BLINGO DRV40W1-10V BK




BLINGO DRV 32W ON-OFF




BLINGO DRV 40W ON-OFF




BLINGO DRVM24W ON-OFF




BLINGO DRVM34W ON-OFF




BLINGO DRVM42W ON-OFF




BLINGO DRV42W DALI BK



BLINGO DRV40W1-10V BK



BLINGO DRV 32W ON-OFF



BLINGO DRV 40W ON-OFF

Date of issue: 23.04.2026, 15:15

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

EN