

Kanlux

Kanlux LCOB FREE CUT 12V

- 3 years Warranty under the terms of the warranty statement, available on our website





FREE
CUT



12V

 12 DC	 1m = 12	 III	 ≤ 6x MacAdam	 Ra 90	 Hg	
 COB	 ≥ 30000	 30000		 0,1m	 5÷25	 360° Φ _{use}



LCOBFC 12W/M12IP00-WW

**IP**

LCOBFC 12W/M12IP00-WW	39431	0,5m = 6	0,5m = 510	3000	00	5000	G
LCOBFC 12W/M12IP00-NW	39432	0,5m = 6	0,5m = 540	4000	00	5000	G
LCOBFC 12W/M12IP00-CW	39433	0,5m = 6	0,5m = 540	6500	00	5000	G
LCOBFC 12W/M12IP65-WW	39434	0,5m = 6	0,5m = 510	3000	65	5000	G
LCOBFC 12W/M12IP65-NW	39435	0,5m = 6	0,5m = 540	4000	65	5000	G
LCOBFC 12W/M12IP65-CW	39436	0,5m = 6	0,5m = 540	6500	65	5000	G



LCOBFC 12W/M12IP00-
WW



LCOBFC 12W/M12IP00-NW



LCOBFC 12W/M12IP00-CW



LCOBFC 12W/M12IP65-WW



LCOBFC 12W/M12IP65-NW



LCOBFC 12W/M12IP65-CW



LCOBFC 12W/M12IP00



LCOBFC 12W/M12IP65

Accessories

38472 CON P 8 LED band connector, CON P 8 (38472)



38470 CON P 8 CP LED band connector, CON P 8 CP (38470)



38471 CON P 8 CPC LED band connector, CON P 8 CPC (38471)



38473 CON P 8 L LED band connector, CON P 8 L (38473)



Date of issue: 01.10.2025, 17:35
We reserve the right to make technical changes. The data contained in this material are not legally binding.
Photometry: the results obtained from testing were from a specific sample.
Kanolux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com