


Kanlux

Kanlux ARBOREA LED natynkowy



AR-M-MPR-GW-NT



AR-MS-NW-MPR-GW-NT	39450	16	3180	4000	X75/Y90	złote drewno
AR-MS-WW-MPR-GW-NT	39453	16	3050	3000	X75/Y90	złote drewno
AR-MS-NW-MPR-BRW-NT	39456	16	3180	4000	X75/Y90	brązowe drewno
AR-MS-WW-MPR-BRW-NT	39459	16	3050	3000	X75/Y90	brązowe drewno
AR-MS-NW-MAT-GW-NT	39462	16	3180	4000	X85/Y95	złote drewno
AR-MS-WW-MAT-GW-NT	39465	16	3050	3000	X85/Y95	złote drewno
AR-MS-NW-MAT-BRW-NT	39468	16	3180	4000	X85/Y95	brązowe drewno
AR-MS-WW-MAT-BRW-NT	39471	16	3050	3000	X85/Y95	brązowe drewno
AR-MS-NW-5D-GW-NT	39474	16	2900	4000	X60/Y60	złote drewno
AR-MS-WW-5D-GW-NT	39477	16	2760	3000	X60/Y60	złote drewno
AR-MS-NW-5D-BRW-NT	39480	16	2900	4000	X60/Y60	brązowe drewno
AR-MS-WW-5D-BRW-NT	39483	16	2760	3000	X60/Y60	brązowe drewno
AR-MS-NW-S5D-GW-NT	39486	16	2850	4000	X60/Y60	złote drewno
AR-MS-WW-S5D-GW-NT	39489	16	2720	3000	X60/Y60	złote drewno
AR-MS-NW-S5D-BRW-NT	39492	16	2850	4000	X60/Y60	brązowe drewno
AR-MS-WW-S5D-BRW-NT	39495	16	2720	3000	X60/Y60	brązowe drewno



AR-M-MPR-GW-NT



AR-M-MPR-BRW-NT



AR-M-MAT-GW-NT



AR-M-MAT-BRW-NT



AR-M-5D-GW-NT




AR-M-5D-BRW-NT




AR-M-S5D-GW-NT




AR-M-S5D-BRW-NT




AR-MS-NW-MPR-GW-NT



AR-MS-NW-MAT-GW-NT



AR-MS-NW-5D-GW-NT



AR-MS-NW-S5D-GW-NT

Accessories

32541	ALIN CORD 1F-B	Power supply terminal for ALIN luminaires and tracks, 1-phase, black, 150 cm
		
32535	ALIN CORD SQ 1F-B	
		
07871	ROPE-NT 150 SINGLE	ROPE-NT 150 SINGLE steel rope (single) for suspending fittings, 2 pcs. in a set
		

Date of issue: 27.11.2025, 08:51
We reserve the right to make technical changes. The data contained in this material are not legally binding.
Photometry: the results obtained from testing were from a specific sample.
Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com