

# Kanlux



## Kanlux LCOB 10W/M 12V

Kanlux LCOB 10W LED strip is a unique lighting, which has a high luminous efficiency and a 3-year warranty. Its unique feature is a continuous line of light - there are no brighter or darker places on it, no points of light are visible in whole strip. The Kanlux LCOB tape emits uniform light regardless of the profile depth and the transparency of the shade.

- 3 years Warranty under the terms of the warranty statement, available on our website



12V



LCOB 10W/M 12

|            |              |               |          |           |                  |                     |
|------------|--------------|---------------|----------|-----------|------------------|---------------------|
| <br>12 DC  | <br>III      | <br>Ra<br>90  | <br>Hg   | <br>House | <br>COB          | <br>LED<br>m<br>320 |
| <br>≥30000 | <br>30000    | <br>Wiring    | <br>0,1m | <br>5÷25  | <br>360°<br>Φuse | <br>CE              |
| <br>EAC    | <br>UK<br>CA | <br>Recycling |          |           |                  |                     |





IP



|                       |              |         |           |      |    |       |   |
|-----------------------|--------------|---------|-----------|------|----|-------|---|
| LCOB 10W/M 12 IP00-NW | <b>37231</b> | 1m = 10 | 1m = 1000 | 4000 | 00 | 5000  | F |
| LCOB 10W/M 12 IP00-WW | <b>37230</b> | 1m = 10 | 1m = 920  | 3000 | 00 | 5000  | F |
| LCOB 10W/M 12 IP65-NW | <b>37233</b> | 1m = 10 | 1m = 950  | 4000 | 65 | 5000  | F |
| LCOB 10W/M 12 IP65-WW | <b>37232</b> | 1m = 10 | 1m = 860  | 3000 | 65 | 5000  | G |
| LCOBB 10W/M 12IP65-CW | <b>39775</b> | 1m = 10 | 1m = 950  | 6500 | 65 | 25000 | F |
| LCOBB 10W/M 12IP65-NW | <b>39774</b> | 1m = 10 | 1m = 950  | 4000 | 65 | 25000 | F |
| LCOBB 10W/M 12IP65-WW | <b>39773</b> | 1m = 10 | 1m = 860  | 3000 | 65 | 25000 | G |
| LCOBC 10W/M 12IP00-CW | <b>38905</b> | 1m = 10 | 1m = 1000 | 6500 | 00 | 50000 | F |
| LCOBC 10W/M 12IP00-NW | <b>38904</b> | 1m = 10 | 1m = 1000 | 4000 | 00 | 50000 | F |
| LCOBC 10W/M 12IP00-WW | <b>38903</b> | 1m = 10 | 1m = 920  | 3000 | 00 | 50000 | F |




LCOB 10W/M 12




LCOBB 10W/M 12




LCOBC 10W/M 12




LCOB 10W/M 12 IP00



LCOB 10W/M 12 IP65



LCOBB 10W/M 12 IP65



LCOBC 10W/M 12 IP00

Accessories

38472                      CON P 8                      LED band connector, CON P 8 (38472)



38470                      CON P 8 CP                      LED band connector, CON P 8 CP (38470)



38471                      CON P 8 CPC                      LED band connector, CON P 8 CPC (38471)



38473                      CON P 8 L                      LED band connector, CON P 8 L (38473)



Date of issue: 09.04.2026, 09:45  
We reserve the right to make technical changes. The data contained in this material are not legally binding.  
Photometry: the results obtained from testing were from a specific sample.  
Kanolux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland [kanlux@kanlux.com](mailto:kanlux@kanlux.com)