

Kanlux



KANLUX **LCOB 10W/M 12V**

Kanlux LCOB 10W LED strip is a unique lighting, which has a high luminous efficiency and a 3-year warranty. Its unique feature is a continuous line of light - there are no brighter or darker places on it, no points of light are visible in whole strip. The Kanlux LCOB tape emits uniform light regardless of the profile depth and the transparency of the shade.

• 3 years Warranty under the terms of the warranty statement, available on our website



12V



LCOB 10W/M 12 IP00-EW

12 DC	0,5m = 5			Ra 90		
COB	LED m 320	≥ 30000	30000		0,1m	5+25



IP



LCOB 10W/M 12 IP00-EW

90685

1m = 10

1m = 880

2700

00

5000

G

Date of issue: 28.10.2026, 15:28

We reserve the right to make technical changes. The data contained in this material are not legally binding.


Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com


EN

**IP**


LCOB 10W/M 12 IP00-WW	37230	1m = 10	1m = 920	3000	00	5000	F
LCOB 10W/M 12 IP00-NW	37231	1m = 10	1m = 1000	4000	00	5000	F
LCOB 10W/M 12 IP00-CW	90990	1m = 10	1m = 1000	6500	00	5000	F
LCOB 10W/M 12 IP65-EW	90688	1m = 10	1m = 840	2700	65	5000	G
LCOB 10W/M 12 IP65-WW	37232	1m = 10	1m = 860	3000	65	5000	G
LCOB 10W/M 12 IP65-NW	37233	1m = 10	1m = 950	4000	65	5000	F
LCOB 10W/M 12 IP65-CW	90991	1m = 10	1m = 950	6500	65	25000	F
LCOBB 10W/M 12IP00-EW	90686	1m = 10	1m = 880	2700	00	25000	G
LCOBB 10W/M 12IP00-WW	90992	1m = 10	1m = 920	3000	00	25000	F
LCOBB 10W/M 12IP00-NW	90993	1m = 10	1m = 1000	4000	00	25000	F
LCOBB 10W/M 12IP00-CW	90994	1m = 10	1m = 1000	6500	00	25000	F
LCOBB 10W/M 12IP65-EW	90689	1m = 10	1m = 840	2700	65	25000	G
LCOBB 10W/M 12IP65-WW	39773	1m = 10	1m = 860	3000	65	25000	G
LCOBB 10W/M 12IP65-NW	39774	1m = 10	1m = 950	4000	65	25000	F
LCOBB 10W/M 12IP65-CW	39775	1m = 10	1m = 950	6500	65	25000	F
LCOBC 10W/M 12IP00-EW	90687	1m = 10	1m = 880	2700	00	50000	G
LCOBC 10W/M 12IP00-WW	38903	1m = 10	1m = 920	3000	00	50000	F
LCOBC 10W/M 12IP00-NW	38904	1m = 10	1m = 1000	4000	00	50000	F
LCOBC 10W/M 12IP00-CW	38905	1m = 10	1m = 1000	6500	00	50000	F




LCOB 10W/M 12 IP00-EW




LCOB 10W/M 12 IP00-WW




LCOB 10W/M 12 IP00-NW




LCOB 10W/M 12 IP00-CW




LCOB 10W/M 12 IP65-EW



LCOB 10W/M 12 IP65-WW



LCOB 10W/M 12 IP65-NW



LCOB 10W/M 12 IP65-CW

Date of issue: 28.10.2026, 15:28

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com





LCOBB 10W/M 12IP00-EW



LCOBB 10W/M 12IP00-WW



LCOBB 10W/M 12IP00-NW



LCOBB 10W/M 12IP00-CW



LCOBB 10W/M 12IP65-EW



LCOBB 10W/M 12IP65-WW



LCOBB 10W/M 12IP65-NW



LCOBB 10W/M 12IP65-CW



LCOBC 10W/M 12IP00-EW




LCOBC 10W/M 12IP00-WW




LCOBC 10W/M 12IP00-NW




LCOBC 10W/M 12IP00-CW




LCOB 10W/M 12 IP00-EW




LCOB 10W/M 12 IP00-WW




LCOB 10W/M 12 IP00




LCOB 10W/M 12 IP00-CW




LCOB 10W/M 12 IP65-EW




LCOB 10W/M 12 IP65-WW




LCOB 10W/M 12 IP65-NW




LCOB 10W/M 12 IP65-CW




LCOBB 10W/M 12IP00-EW




LCOBB 10W/M 12IP00-WW




LCOBB 10W/M 12IP00-NW




LCOBB 10W/M 12IP00-CW




LCOBB 10W/M 12IP65-EW




LCOBB 10W/M 12IP65-WW




LCOBB 10W/M 12IP65-NW




LCOBB 10W/M 12IP65-CW




LCOBC 10W/M 12IP00-EW



LCOBC 10W/M 12IP00-WW



LCOBC 10W/M 12IP00-NW



LCOBC 10W/M 12IP00-CW

Accessories

Date of issue: 28.10.2026, 15:28

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

38472

CON P 8

LED band connector, CON P 8 (38472)



38470

CON P 8 CP

LED band connector, CON P 8 CP (38470)



38471

CON P 8 CPC

LED band connector, CON P 8 CPC (38471)



38473

CON P 8 L

LED band connector, CON P 8 L (38473)

