

SEMPRA

Luminaire mural et plafonnier



| | | | | | | |
|-------------------|------------|------------|-----------|--|------------------|-------------|
| [V] 220-240 AC | [Hz] 50 | PAR16 | GU10 | | IP 20 | |
| [°C] 5÷25 | | [°] 310 | [°] 90 | | [mm] 0,75÷1,5 | [m] 0,5m |
| | | | | | | |



SEMPRA EL-1I B-SR



| | | | |
|-------------------|--------------|------------|-------|
| SEMPRA EL-1I W-SR | 33090 | max 35 | blanc |
| SEMPRA EL-1I B-SR | 33091 | max 35 | noir |
| SEMPRA EL-2I W-SR | 33092 | 2 x max 35 | blanc |
| SEMPRA EL-2I B-SR | 33093 | 2 x max 35 | noir |
| SEMPRA EL-3I W-SR | 33094 | 3 x max 35 | blanc |
| SEMPRA EL-3I B-SR | 33095 | 3 x max 35 | noir |
| SEMPRA EL-4I W-SR | 33096 | 4 x max 35 | blanc |
| SEMPRA EL-4I B-SR | 33097 | 4 x max 35 | noir |

- Matériau du boîtier: acier

SEMPRA

Luminaire mural et plafonnier



SEMPRA EL-11 B-SR



SEMPRA EL-11 B-SR




SEMPRA EL-11 B-SR



SEMPRA EL-11 B-SR



SEMPRA EL-11 B-SR



SEMPRA EL-11 B-SR




SEMPRA EL-11 B-SR




SEMPRA EL-11 B-SR

SEMPRA


Luminaire mural et plafonnier




SEMPRA EL-1I



SEMPRA EL-2I



SEMPRA EL-3I



SEMPRA EL-4I