

BLINGO LED

Panneau lumineux LED encastré



[V] 220-240 AC	[Hz] 50	(h) 50000	ellipse ≤ 6x MacAdam	Ra 80	SMD	
house icon	5÷25 °C	up arrow icon	box icon	0,5m	CE	EAC
PZH	UK CA	down arrow icon				



BLINGO R 36W 6060 WW

				lm W				UGR	IP		
BLINGO R 36W 6060 WW	29816	36	3600	100	3000	115	blanc		20	≥50000	I
BLINGO R 36W 6060 NW	29817	36	3800	106	4000	115	blanc		20	≥30000	I
BLINGO RU 36W 6060 NW	29818	36	3800	106	4000	90	blanc	<19	20	≥30000	I
BLINGO R 36W 12030 NW	29819	36	3800	106	4000	115	blanc		20	≥30000	I
BLINGO PN38W 12030 NW	33175	38	4560	120	4000	115	blanc		20	≥50000	I
BLINGO PN38W 6060 NW	33176	38	4560	120	4000	115	blanc		20	≥50000	I
BLINGO TN38W 6060 NW	33177	38	5400	142	4000	115	blanc		20	≥50000	I
BLINGO TUN48W 6060 NW	33179	48	6250	130	4000	90	blanc	<19	20	≥50000	I

- Une garantie de 5 ans accordée conformément aux termes de la déclaration de garantie disponible sur le site d'Internet
- Matériau du boîtier: fer
- Matériau du diffuseur: PS
- Matériau du panneau/cadre: fer

BLINGO LED

Panneau lumineux LED encastré



BLINGO R 36W 6060 WW



BLINGO R 36W 6060 NW



BLINGO RU 36W 6060 NW



BLINGO R 36W 12030 NW



BLINGO PN38W 12030 NW



BLINGO PN38W 6060 NW




BLINGO TN38W 6060 NW




BLINGO TUN48W 6060 NW

BLINGO LED


Panneau lumineux LED encastré




BLINGO R 36W 6060 WW




BLINGO R 36W 6060 NW




BLINGO RU 36W 6060 NW




BLINGO R 36W 12030 NW




BLINGO PN38W 12030 NW



BLINGO PN38W 6060 NW



BLINGO TN38W 6060 NW



BLINGO TUN48W 6060 NW