

iQ-LED

Kanlux

IQ-LEDIM GU10

Source lumineuse LED



[V] 220-240 AC	[Hz] 50	PAR16	SMD	120° Φ _{use}	ellipse ≤ for MacAdam	Ra 95
≥40000	25000 ^[h]	Hg		CE	EAC	UK CA



	PON [W]	[W]	[lm]	[lm] Φ _{use}	T _c [K]	[°]			
IQ-LEDDIM GU10 7W-WW	35246	7	59	570	490	2700	110	GU10	G
IQ-LEDDIM GU10 7W-NW	35247	7	60	575	495	4000	110	GU10	G
IQ-LEDDIM GU10 7W-CW	35248	7	60	575	495	6500	110	GU10	G

- Matériau du diffuseur: matériau plastique

Date of issue: 02.02.2024, 14:07

Nous nous réservons le droit d'apporter toute modification technique sans information préalable. Les données de ce contenu ne sont pas juridiquement contraignantes.

FR

iQ LED


Kanlux

IQ-LEDIM GU10

Source lumineuse LED



IQ-LEDDIM GU10 7W



IQ-LEDDIM GU10 7W

iQ - LED

Kanlux

IQ-LEDIM GU10

Source lumineuse LED



Date of issue: 02.02.2024, 14:07

Nous nous réservons le droit d'apporter toute modification technique sans information préalable. Les données de ce contenu ne sont pas juridiquement contraignantes.

FR