

AL-...-NT SE

Luminaire profilés linéaire LED



[V] 220-240 AC	[Hz] 50	≥ 30000	50000	ellipse $\leq 3 \times$ MacAdam	Ra 80	SMD
		IP 20		$5 \div 25$ °C		
$1,5 \div 2,5$ [mm ²]		0,5m	CE	EAC	UK CA	



AL-SH-NW-MAT-B-NT-SE



AL-SH-NW-MAT-B-NT-SE **34404** 20 4000 mat X85/Y95 noir 2550 680

- Une garantie de 5 ans accordée conformément aux termes de la déclaration de garantie disponible sur le site d'Internet
- Matériau du boîtier: alliage en aluminium
- Matériau du diffuseur: matériau plastique




AL-...-NT SE

Luminaire profilés linéaire LED



AL-SH-NW-MAT-B-NT-SE







AL-SH-NW-MAT-B-NT-SE

AL-...-NT SE

Luminaire profilés linéaire LED

Accessoires

32540	ALIN CORD 1F-W	Power supply terminal for ALIN luminaires and tracks, 1-phase, white, 150 cm
		
32541	ALIN CORD 1F-B	Power supply terminal for ALIN luminaires and tracks, 1-phase, black, 150 cm
		
32542	ALIN CORD 1F-SR	Power supply terminal for ALIN luminaires and tracks, 1-phase, silver 150 cm
		
07871	ROPE-NT 150 SINGLE	ROPE-NT 150 SINGLE câble en acier (unique) pour la suspension de luminaires, ensemble de 2 pièces
		
29557	ALIN NT GRIP	Wall bracket for the ALIN luminaire, 2 pcs included
