



KRD10-4/25/30-F

|                  |              | <b>[V]</b> | <b>In [A]</b> | <b>I<sub>an</sub> [mA]</b> | Type de protection contre les courants résiduels |  |
|------------------|--------------|------------|---------------|----------------------------|--------------------------------------------------|---------------------------------------------------------------------------------------|
| KRD10-4/25/30-F  | <b>45776</b> | 400 AC     | 25            | 30                         | F                                                | 4                                                                                     |
| KRD10-4/32/30-F  | <b>45777</b> | 400 AC     | 32            | 30                         | F                                                | 4                                                                                     |
| KRD10-4/40/30-F  | <b>45778</b> | 400 AC     | 40            | 30                         | F                                                | 4                                                                                     |
| KRD10-4/63/30-F  | <b>45779</b> | 400 AC     | 63            | 30                         | F                                                | 4                                                                                     |
| KRD10-4/32/100-F | <b>45780</b> | 400 AC     | 32            | 100                        | F                                                | 4                                                                                     |
| KRD10-4/63/100-F | <b>45781</b> | 400 AC     | 63            | 100                        | F                                                | 4                                                                                     |
| KRD10-4/40/300-F | <b>45782</b> | 400 AC     | 40            | 300                        | F                                                | 4                                                                                     |
| KRD10-4/63/300-F | <b>45783</b> | 400 AC     | 63            | 300                        | F                                                | 4                                                                                     |

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland [kanlux@kanlux.com](mailto:kanlux@kanlux.com)

## Disjoncteur différentiel, 4P



KRD10-4/25/30-F



KRD10-4/32/30-F



KRD10-4/40/30-F



KRD10-4/63/30-F



KRD10-4/32/100-F




KRD10-4/63/100-F




KRD10-4/40/300-F




KRD10-4/63/300-F




KRD10-4/25/30-F



KRD10-4/32/30-F




KRD10-4/40/30-F




KRD10-4/63/30-F


## Disjoncteur différentiel, 4P




KRD10-4/32/100-F



KRD10-4/63/100-F



KRD10-4/40/300-F



KRD10-4/63/300-F