

Kanlux



Kanlux TEAR 1F SET

- Une garantie de 5 ans accordée conformément aux termes de la déclaration de garantie disponible sur le site d'Internet



[V] 220-240 AC	[Hz] 50	In[A] 10		IP 20		 5÷25
CE	ERC	UK CA				



TEAR 1F SET 1M-B



TEAR 1F SET 1M-B	45882	noir
TEAR 1F SET 1M-W	45883	blanc
TEAR 1F SET 1,5M-B	45886	noir
TEAR 1F SET 1,5M-W	45887	blanc
TEAR 1F SET 2M-B	45890	noir
TEAR 1F SET 2M-W	45891	blanc



TEAR 1F SET 1M-B



TEAR 1F SET 1M-W



TEAR 1F SET 1,5M-B




TEAR 1F SET 1,5M-W




TEAR 1F SET 2M-B




TEAR 1F SET 2M-W




TEAR 1F SET 1M-B




TEAR 1F SET 1M-W




TEAR 1F SET 1,5M-B



TEAR 1F SET 1,5M-W



TEAR 1F SET 2M-B



TEAR 1F SET 2M-W

Date of issue: 29.04.2026, 14:15

Nous nous réservons le droit d'apporter toute modification technique sans information préalable. Les données de ce contenu ne sont pas juridiquement contraignantes.

Photométrie : Résultats obtenus en testant un échantillon déterminé.

Kanlux S.A. ul. Objazdowa 1-3, 41-922 Radzionków, Poland kanlux@kanlux.com

FR