

LEDS-B RGB

LED strip



[V] 12 DC	III	Tc [K] RGB	≥ 15000	Hg	House	SMD
$\bar{\odot}$ [h] 15000		D---m 0,1m			CE	ERC
UK CA						



LEDS-B 7.2W/M IP00RGB

			IP	[mm]
LEDS-B 7,2W/M IP00RGB	24530	0,5m = max 3,6	0,5m = max 65	00 5000
LEDS-B 7,2W/M IP54RGB	24532	0,5m = max 3,6	0,5m = max 65	54 5000
LEDS-B 7,2W/M IP65RGB	24531	0,5m = max 3,6	0,5m = max 65	65 5000
LEDS-B14,4W/M IP00RGB	24545	0,5m = max 7,2	0,5m = max 125	00 5000
LEDS-B14,4W/M IP54RGB	24546	0,5m = max 7,2	0,5m = max 100	54 5000
LEDS-B14,4W/M IP65RGB	24547	0,5m = max 7,2	0,5m = max 120	65 5000

Kanlux LEDS-B RGB è una famiglia di nastri LED RGB. Adatti tanto per un utilizzo commerciale quanto per un utilizzo domestico. Disponibili con IP00, IP54, IP65. Per un utilizzo corretto è necessario abbinarli al relativo controller e telecomando.

LEDS-B RGB

LED strip



LEDS-B 7.2W/M IP00RGB



LEDS-B 7.2W/M IP54RGB



LEDS-B 7.2W/M IP65RGB



LEDS-B14,4W/M IP00RGB




LEDS-B14,4W/M IP54RGB




LEDS-B14,4W/M IP65RGB

LEDS-B RGB


LED strip




LEDS-B 7.2W/M IP00RGB




LEDS-B 7.2W/M IP54RGB




LEDS-B 7.2W/M IP65RGB



LEDS-B14,4W/M IP00RGB



LEDS-B14,4W/M IP54RGB



LEDS-B14,4W/M IP65RGB

Accessori

19036

CONNECTOR RGB 10-CP

Connettore per striscia LED, CONNECTOR RGB 10-CP (19036)



19037

CONNECTOR RGB 10-CPC

Connettore per striscia LED, CONNECTOR RGB 10-CPC (19037)



19038

CONNECTOR RGB 10

Connettore per striscia LED, CONNECTOR RGB 10 (19038)

