

HIERRO

Plafoniera LED lineare



| | | | | | | |
|--------------------------------|-------------------|-----------------|-----------|------------------|--------------|--|
| [V] 220-240 AC | [Hz] 50 | ≥30000 | 50000 | ≤ 6x MacAdam | 80 | |
| | | IP 20 | | 5÷25 | | |
| 1,5÷2,5 [mm ²] | | 0,5m | CE | EAC | UK CA | |



HR-SL-WW-W-NT

| | [W] | Tc [K] | TYPE | [°] | | [m] | [mm] |
|---------------|--------------|--------|------|--------|---------|--------|----------|
| HR-SL-WW-W-NT | 36940 | 9 | 3000 | raster | X60/Y60 | bianco | 1150 290 |
| HR-SH-WW-W-NT | 36941 | 14 | 3000 | raster | X60/Y60 | bianco | 1650 290 |
| HR-SL-WW-B-NT | 36948 | 9 | 3000 | raster | X60/Y60 | nero | 1050 290 |
| HR-SH-WW-B-NT | 36949 | 14 | 3000 | raster | X60/Y60 | nero | 1450 290 |
| HR-SL-WN-W-NT | 36956 | 9 | 3500 | raster | X60/Y60 | bianco | 1200 290 |
| HR-SH-WN-W-NT | 36957 | 14 | 3500 | raster | X60/Y60 | bianco | 1700 290 |
| HR-SL-WN-B-NT | 36964 | 9 | 3500 | raster | X60/Y60 | nero | 1050 290 |
| HR-SH-WN-B-NT | 36965 | 14 | 3500 | raster | X60/Y60 | nero | 1500 290 |
| HR-SL-NW-W-NT | 36972 | 9 | 4000 | raster | X60/Y60 | bianco | 1250 290 |
| HR-SH-NW-W-NT | 36973 | 14 | 4000 | raster | X60/Y60 | bianco | 1700 290 |
| HR-SL-NW-B-NT | 36980 | 9 | 4000 | raster | X60/Y60 | nero | 1100 290 |
| HR-SH-NW-B-NT | 36981 | 14 | 4000 | raster | X60/Y60 | nero | 1550 290 |

- Materiale del corpo: metallo, plastica
- Diffusore: plastica

HIERRO

Plafoniera LED lineare



HR-SL-WW-W-NT



HR-SH-WW-W-NT



HR-SL-WW-B-NT



HR-SH-WW-B-NT



HR-SL-WN-W-NT



HR-SH-WN-W-NT



HR-SL-WN-B-NT



HR-SH-WN-B-NT



HR-SL-NW-W-NT



HR-SH-NW-W-NT




HR-SL-NW-B-NT



HR-SH-NW-B-NT

HIERRO

Plafoniera LED lineare



HR-SH-NT

