

IQ-LED A60

Źródło światła LED

3
WARRANTY
3 years

SAFE
light

QUALITY &
COMFORT
of light

[V]
220-240 AC

[Hz]
50

SMD

360°
Φuse

ellipse
≤ 6x MacAdam

Ra
80

≥40000

Hg



IQ-LED A60 4,2W-NW

IQ-LED A60 4,2W-NW	33711	4,2	41	500	4000	220	25000	E27	E
IQ-LED A60 7,2W-NW	33714	7,2	60	820	4000	220	25000	E27	E
IQ-LED A60 7,2W-CW	33715	7,2	60	820	6500	220	25000	E27	E
IQ-LED A60 9,6W-WW	33716	9,6	75	1060	2700	220	25000	E27	E

Kanlux IQ-LED to bezpieczeństwo fotobiologiczne, przyjazna oczom temperatura barwowa i niezawodność, a to wszystko zachowane w klasycznym designie A60. Żarówki Kanlux IQ-LED zapewniają pełen komfort użytkowania oraz bezpieczeństwo.

• -

iQ^{LED}

Kanlux

IQ-LED A60

Źródło światła LED



IQ-LED A60 4,2W-NW




IQ-LED A60 7,2W

iQ^{LED}


Kanlux

IQ-LED A60

Źródło światła LED



IQ-LED A60 4,2W



IQ-LED A60 7,2W